



Programme
national

éolien-biodiversité

ADEME - MEDDE - SER/FEE - LPO

Bibliographie

Programme Eolien et Biodiversité

Avifaune

Geoffroy Marx – geoffroy.marx@lpo.fr

18/01/2017

Légende

- Eolien terrestre
- Eolien en mer

ADEME



Agence de l'Environnement
et de la Maîtrise de l'Energie

Avifaune

- Welcker J et al. (2016). *Nocturnal migrants do not incur higher collision risk at wind turbines than diurnally active species.* [📄](#) (p16, en)
- Horswill C, O'Brien SH, Robinson RA (2016). *Density dependence and marine bird populations: are wind farm assessments precautionary?* [📄](#) (p9, en)
- Aschwanden J, Liechti F (2016). *Vogelzugintensität und Anzahl Kollisionsoffer an Windenergieanlagen am Standort Le Peuchapatte (JU).* [📄](#) (p74, de)
- Adams J, Kelsey EC, Felis JJ, Pereksta DM (2016). *Collision and Displacement Vulnerability among Marine Birds of the California Current System Associated with Offshore Wind Energy Infrastructure.* [📄](#) (p126, en)
- Scottish Natural Heritage (2016). *Avoidance Rates for the onshore SNH Wind Farm Collision Risk Model.* [📄](#) (p4, en)
- Wade HM, Masden EA, Jackson AC, Furness RW (2016). *Incorporating data uncertainty when estimating potential vulnerability of Scottish seabirds to marine renewable energy developments.* [📄](#) (p6, en)
- Suryan R, Albertani R, Polagye B (2016). *A Synchronized Sensor Array for Remote Monitoring of Avian and Bat Interactions with Offshore Renewable Energy Facilities.* [📄](#) (p33, en)
- Bird Studies Canada, Canadian Wind Energy Association, Environment Canada and Ontario Ministry of Natural Resources (2016). *Base de données du Suivi des populations d'oiseaux et de chauves-souris relié à l'énergie éolienne.* [📄](#) (p48, fr)
- Zehindjiev P, Whitfield D (2016). *Bird Migration Monitoring in the Saint Nikola Wind Farm, Kaliakra Region, in Autumn 2015, and an Analysis of Potential Impact after Six Years of Operation.* [📄](#) (p30, en)
- Kolar PS, Bechard MJ (2016). *Wind energy, nest success, and post-fledging survival of Buteo hawks.* [📄](#) (p14, en)
- Arnett EB, May RF (2016). *Mitigating wind energy impacts on wildlife: approaches for multiple taxa.* [📄](#) (p14, en)
- Johnson DH, Loss SR, Smallwood KS, Erickson WP (2016). *Avian fatalities at wind energy facilities in North America: a comparison of recent approaches.* [📄](#) (p12, en)
- Katzner T, Bennett V, Miller T, Duerr A, Braham M, Hale A (2016). *Wind energy development: methods to assess bird and bat fatality rates post-construction.* [📄](#) (p9, en)
- Smith JA, Dwyer JF (2016). *Avian interactions with renewable energy infrastructure: An update.* [📄](#) (p13, en)
- Sansom A, Pearce-Higgins JW, Douglas DJT (2016). *Negative impact of wind energy development on a breeding shorebird assessed with a BACI study design.* [📄](#) (p15, en)
- Beston JA, Diffendorfer JE, Loss SR, Johnson DH (2016). *Prioritizing Avian Species for Their Risk of Population-Level Consequences from Wind Energy Development.* [📄](#) (p19, en)
- Hüppopa O, Hüppopa K, Dierschkea J, Hillb R (2016). *Bird collisions at an offshore platform in the North Sea.* [📄](#) (p10, en)
- Vasilakis DP, Whitfield DP, Schindler S, Poirazidis KS, Kati V (2016). *Reconciling endangered species conservation with wind farm development: Cinereous vultures (Aegypius monachus) in south-eastern Europe.* [📄](#) (p8, en)
- Sheppard et al. (2015). *An autonomous GPS geofence alert system to curtail avian fatalities at wind farms.* [📄](#) (p8, en)
- Yoshihashi R, Kawakami R, Iida M, Naemura T - The University of Tokyo (2015). *Construction of a bird image dataset for ecological investigations.* [📄](#) (p5, en)
- Yoshihashi R, Kawakami R, Iida M, Naemura T - The University of Tokyo (2015). *Evaluation of Bird Detection using Time-lapse Images around a Wind Farm.* [📄](#) (p8, en)
- Cleasby IR, Wakefield ED, Bearhop S, Bodey TW, Votier SC, Hamer KC (2015). *Three-dimensional tracking of a wide-ranging marine predator: flight heights and vulnerability to offshore wind farms.* [📄](#) (p9, en)
- Masden EA, Cook A (2015). *Avian Collision Risk Models for Wind Energy Impact Assessments.* [📄](#) (p7, en)
- Masden E (2015). *Developing an Avian Collision Risk Model to Incorporate Variability and Uncertainty.* [📄](#) (p47, en)
- Wade H (2015). *Investigating the Potential Effects of Marine Renewable Energy Developments on Seabirds.* [📄](#) (p417, en)

- ● Balotari-Chiebao F, Brommer JE, Niinimäki T, Laaksonen T (2015). *Proximity to wind-power plants reduces the breeding success of the white-tailed eagle*. [📄](#) (p8, en)
- Busch M, Garthe S (2015). *Approaching population thresholds in presence of uncertainty: Assessing displacement of seabirds from offshore wind farms*. [📄](#) (p12, en)
- ● Loss SR, Will T, Marra PP (2015). *Direct Mortality of Birds from Anthropogenic Causes*. [📄](#) (p22, en)
- Hernández-Pliego J, de Lucas M, Muñoz A-R, Ferrer M (2015). *Effects of wind farms on Montagu's harrier (Circus pygargus) in southern Spain*. [📄](#) (p7, en)
- Reid T, Kruger S, Whitfield DP, Amar A (2015). *Using spatial analyses of bearded vulture movements in southern Africa to inform wind turbine placement*. [📄](#) (p12, en)
- Martin C (2015). *Effectiveness of operational mitigation in reducing bat mortality and an assessment of bat and bird fatalities at the Sheffield Wind Facility, Vermont*. [📄](#) (p196, en)
- ● May R (2015). *A Unifying Framework for the Underlying Mechanisms of Avian Avoidance of Wind Turbines*. [📄](#) (p9, en)
- Hunt GW (2015). *Addressing the Factors that Juxtapose Raptors and Wind Turbines*. [📄](#) (p6, en)
- Dürr T (2015). *Vogelverluste an Windenergieanlagen / bird fatalities at windturbines in Europe*. [📄](#) (p8, de)
- Ponchon A, Gallien F, Le Guillou G, Grémillet D (2015). *Distribution en mer et utilisation de l'habitat des mouettes tridactyles nichant sur les côtes de la Manche*. [📄](#) (p47, fr)
- Zipkin EF, Kinlan BP, Sussman A, Rypkema D, Wimer M, O'Connell AF (2015). *Statistical guidelines for assessing marine avian hotspots and coldspots: A case study on wind energy development in the U.S. Atlantic Ocean*. [📄](#) (p8, en)
- New L, Bjerre E, Millsap B, Otto Mc, Runge Mc (2015). *A Collision Risk Model to Predict Avian Fatalities at Wind Facilities: An Example Using Golden Eagles, Aquila chrysaetos*. [📄](#) (p12, en)
- Hanagasioglu M, Aschwanden J, Bontadina F, Marcos de la Puente N (2015). *Investigation of the effectiveness of bat and bird detection of the DTBat and DTBird systems at Calandawind turbine - Final Report*. [📄](#) (p142, en)
- Graff BJ (2015). *An assessment of direct mortality to avifauna from wind energy facilities in North Dakota and South Dakota*. [📄](#) (p88, en)
- Thaxter C, Ross-Smith V, Bouten W, Clark N, Conway G, Rehfishch M, Burton N (2015). *Seabird-wind farm interactions during the breeding season vary within and between years: A case study of lesser black-backed gull Larus fuscus in the UK*. [📄](#) (p12, en)
- Fijn R, Krijgsveld K, Poot M, Dirksen S (2015). *Bird Movements at Rotor Heights Measured Continuously with Vertical Radar at a Dutch Offshore Wind Farm*. [📄](#) (p15, en)
- Zwart MC, Robson P, Rankin S, Whittingham MJ, McGowan PJK (2015). *Using environmental impact assessment and post-construction monitoring data to inform wind energy developments*. [📄](#) (p11, en)
- Al Zohbi G, Hendrick P, Bouillard P (2015). *Evaluation of the impact of wind farms on birds: The case study of Lebanon*. [📄](#) (p8, en)
- Brabant R, Vanermen N, Steinen E, Degraer S (2015). *Towards a Cumulative Collision Risk Assessment of Local and Migrating Birds in North Sea Offshore Wind Farms*. [📄](#) (p12, en)
- Garcia DA, Canavero G, Ardenghi F, Zambon M (2015). *Analysis of wind farm effects on the surrounding environment: Assessing population trends of breeding passerines*. [📄](#) (p7, en)
- Lapointe J et al. (2015). *Habitat du faucon pèlerin dans le sud du Québec durant la période de reproduction : conséquences pour l'implantation de parcs éoliens*. [📄](#) (p9, fr)
- Whitfield D, Urquhart B (2015). *Deriving an Avoidance Rate for Swans Suitable for Onshore Wind Farm Collision Risk Modelling*. [📄](#) (p15, en)
- Braunschwa V, Coppesa J, Bächlea S, Suchanta R (2015). *Underpinning the precautionary principle with evidence: A spatial concept for guiding wind power development in endangered species' habitats*. [📄](#) (p10, en)
- ● Wang Sh, Wang Si, Smith P (2015). *Ecological Impacts of Wind Farms on Birds: Questions, Hypotheses, and Research Needs*. [📄](#) (p9, en)
- Smales I (2015). *Fauna Collisions with Wind Turbines: Effects and Impacts, Individuals and Populations. What Are We Trying to Assess?*. [📄](#) (p18, en)
- Therkildsen OR, Elmeros M (2015). *First year post-construction monitoring of bats and birds at wind turbine test Centre Østerild*. [📄](#) (p128, en)
- Williams K, Stenhouse I, Tash J, Adams E, Goodale W (2015). *Pelagic Waterbird Surveys in the Great Lakes, 2012-2014: Minimizing Conflicts with Future Offshore Wind Energy Development*. [📄](#) (p37, en)
- ● Singh K, Baker E, Lackner M (2014). *Curtailing Wind Turbine Operations to Reduce Avian Mortality*. [📄](#) (p6, en)
- Vanermen N, Onkelinx T, Verschelde P, Courtens W, Van de walle M, Verstraete H, Stienen E (2014). *Assessing Seabird Displacement at Offshore Wind Farms: Power Ranges of a Monitoring and Data Handling Protocol*. [📄](#) (p13, en)
- Cook ASCP, Humphreys Elizabeth M, Masden Elizabeth A, Burton Niall HK (2014). *The Avoidance Rates of Collision Between Birds and Offshore Turbines*. [📄](#) (p263, en)

- Vanermen N, Onkelinx T, Courtens W, Van de walle M, Verstraete H, Stienen EWM (2014). *Seabird avoidance and attraction at an offshore wind farm in the Belgian part of the North Sea.* [📄](#) (p11, en)
- Skov H, Heinänen S (2014). *Predicting the Weather-Dependent Collision Risk for Birds at Wind Farms.* [📄](#) (p19, en)
- May R et al. (2014). *Mitigating wind-turbine induced avian mortality: Sensory, aerodynamic and cognitive constraints and options.* [📄](#) (p12, en)
- Erickson WP, Wolfe MM, Bay KJ, Johnson DH, Gehring JL (2014). *A Comprehensive Analysis of Small-Passerine Fatalities from Collision with Turbines at Wind Energy Facilities.* [📄](#) (p18, en)
- Bolker Ethan D., Hatch Jeremy J., Zara Catalin (2014). *Modeling how windfarm geometry affects bird mortality.* [📄](#) (p18, en)
- Marques AT et al. (2014). *Understanding bird collisions at wind farms: An updated review on the causes and possible mitigation strategies.* [📄](#) (p13, en)
- Bradbury G, Trinder M, Furness B, Banks AN, Caldwell RWG et al. (2014). *Mapping Seabird Sensitivity to Offshore Wind Farms.* [📄](#) (p17, en)
- Margalida A, Sanchez-Zapata JA, Blanco G, Hiraldo F, Donazar JA (2014). *Ultraviolet Vision and Avoidance of Power Lines in Birds and Mammals.* [📄](#) (p3, en)
- Soares Maria (2014). *An avian relative fatality risk index for Iberian species on wind farms based on zero inflated count models.* [📄](#) (p60, en)
- Goodale MW, Stenhouse IJ, Williams KA (2014). *Reducing the Adverse Effects of Offshore Wind Development on Waterbirds in the Great Lakes: A Proposed Four-Step Approach.* [📄](#) (p72, en)
- Everaert J (2014). *Collision risk and micro-avoidance rates of birds with wind turbines in Flanders.* [📄](#) (p11, en)
- Villegas-Patracá R, Cabrera-Cruz SA, Herrera-Alsina L (2014). *Soaring Migratory Birds Avoid Wind Farm in the Isthmus of Tehuantepec, Southern Mexico.* [📄](#) (p7, en)
- Dubois PJ - LPO (2013). *L'Avifaune française et le changement climatique : espèces indicatrices.* [📄](#) (p28, fr)
- Furness RW et al. (2013). *Potential population-level consequences of marine renewables.* [📄](#) (p2, en)
- Mackenzie M et al. (2013). *Wind farm displacement studies from Nysted, Denmark.* [📄](#) (p1, en)
- McDonald C et al. (2013). *Displacement effects modelling for central place foraging auks with the Forth/Tay as a case study.* [📄](#) (p1, en)
- Wade HM et al. (2013). *Habitat use by seabird species in high-velocity current flows: investigating the potential effects of tidal-stream renewable energy developments.* [📄](#) (p5, en)
- Leopold M (2013). *Are auks the ideal birds to study offshore wind farm impact on seabirds?.* [📄](#) (p1, en)
- Krijgsveld K, Dirksen S (2013). *Avoidance behaviour and flight intensities of birds in an offshore wind farm in the Netherlands.* [📄](#) (p1, en)
- Scott B (2013). *Seabirds and marine renewables: are we asking the right questions about indirect effects?.* [📄](#) (p4, en)
- van Deurs M et al. (2013). *Short- and long-term effects of an offshore wind farm on three species of sandeel and their sand habitat.* [📄](#) (p1, en)
- Owen E (2013). *Connectivity between seabird SPAs and wind farms: an overview from the FAME project.* [📄](#) (p1, en)
- Thaxter C et al. (2013). *Connectivity between seabird features of protected sites and offshore wind farms: Lesser Black-backed Gulls and Great Skuas through the breeding, migration and non-breeding seasons.* [📄](#) (p1, en)
- Trinder M et al. (2013). *Potential impact of offshore wind farm collisions on the Gannet population of the British Isles explored using PVA.* [📄](#) (p2, en)
- Mackenzie A, Perrow M (2013). *Individual-based population viability modelling as a tool to quantify the effect of wind farm collisions.* [📄](#) (p1, en)
- Loss SR, Will T, Marra PP (2013). *Estimates of bird collision mortality at wind facilities in the contiguous United States.* [📄](#) (p9, en)
- Korner-Nievergelt F, Brinkmann R, Niermann I, Behr O (2013). *Estimating Bat and Bird Mortality Occurring at Wind Energy Turbines from Covariates and Carcass Searches Using Mixture Models.* [📄](#) (p11, en)
- Bellebaum J, Korner-Nievergelt F, Dürr T, Mammen U (2013). *Wind turbine fatalities approach a level of concern in a raptor population.* [📄](#) (p7, en)
- MacArthur D, Furness B, Trinder M, MacArthur K (2013). *Pentland Firth and Orkney Waters Enabling Actions Report: Ornithological Cumulative Impact Assessment Framework.* [📄](#) (p207, en)
- Zimmerling JR, Pomeroy AC, D'Entremont MV, Francis CM (2013). *Canadian Estimate of Bird Mortality Due to Collisions and Direct Habitat Loss Associated with Wind Turbine Developments.* [📄](#) (p13, en)
- Aumüller R et al. (2013). *Weichen Zugvögel Windenergieanlagen auf See aus? Eine Methode zur Untersuchung und Analyse von Reaktionen tagsüber ziehender Vogelarten auf Offshore-Windparks.* [📄](#) (p11, de)
- Smallwood KS (2013). *Comparing bird and bat fatality-rate estimates among North American wind-energy projects.* [📄](#) (p15, en)
- Liechti F, Guélat J, Komenda-Zehnder S (2013). *Modelling the spatial concentrations of bird*

- migration to assess conflicts with wind turbines. [📄](#) (p9, en)
- Kitano M, Shiraki S (2013). *Estimation of bird fatalities at wind farms with complex topography and vegetation in Hokkaido, Japan.* [📄](#) (p8, en)
 - Camiña Á (2013). *Guidelines for wind farm planning on birds and bats: Lessons learned from operating wind farms.* [📄](#) (p40, en)
 - Furness RW, Wade HM, Masden EA (2013). *Assessing vulnerability of marine bird populations to offshore wind farms.* [📄](#) (p11, en)
 - Farque P - LPO (2013). *Interactions entre oiseaux marins et parcs éolien en mer : connaissances, contexte et solutions sur les côtes françaises.* [📄](#) (p56, fr)
 - Lampman G - New Jersey Audubon, Old Bird Inc and North East Ecological Services (2013). *Post-construction wildlife monitoring at Maple Ridge wind farm - Final report.* [📄](#) (p34, en)
 - May R, Hamre O, Vang R, Nygård T (2012). *Evaluation of the DTBird video-system at the Smøla wind-power plant. Detection capabilities for capturing near-turbine avian behaviour.* [📄](#) (p32, en)
 - Busch M, Kannen A, Garthe S, Jessopp M (2012). *Consequences of a cumulative perspective on marine environmental impacts: Offshore wind farming and seabirds at North Sea scale in context of the EU Marine Strategy Framework Directive.* [📄](#) (p12, en)
 - Bennett E (2012). *Observations from the Use of Dogs to Undertake Carcass Searches at Wind Facilities in Australia.* [📄](#) (p10, en)
 - Therkildsen OR, Elmeros M, Kahlert J, Desholm M (2012). *Baseline investigations of bats and birds at wind turbine test centre Østerild.* [📄](#) (p128, en)
 - Rydell J, Engström H, Hedenström A, Larsen JK, Pettersson J, Green M (2012). *The effect of wind power on birds and bats – A synthesis.* [📄](#) (p152, en)
 - Schaub Michael (2012). *Spatial distribution of wind turbines is crucial for the survival of red kite populations.* [📄](#) (p8, en)
 - Plonczkier P, Simms IC (2012). *Radar monitoring of migrating pink-footed geese: behavioural responses to offshore wind farm development.* [📄](#) (p9, en)
 - Cook ASCP, Wright LJ, Burton NHK - BTO (2012). *A Review of flight heights and avoidance rates of birds in relation to offshore windfarms.* [📄](#) (p61, en)
 - Band B (2012). *Using a collision risk model to assess bird collision risks for offshore windfarms.* [📄](#) (p62, en)
 - Lucas M, Ferrer M, Bechard MF, Muñoz AR (2012). *Griffon vulture mortality at wind farms in southern Spain: Distribution of fatalities and active mitigation measures.* [📄](#) (p6, en)
 - Markid L (2012). *Does offshore wind farm development result in habitat loss for seabirds?.* [📄](#) (p34, en)
 - Pearce-Higgins JW, Stephen L, Douse A, Langston RHW (2012). *Greater impacts of wind farms on bird populations during construction than subsequent operation: results of a multi-site and multi-species analysis.* [📄](#) (p9, en)
 - Actes du séminaire citoyen Luceole (2012). *Coexistence Milan royal et parc éolien - pour une compréhension ouverte d'un problème complexe.* [📄](#) (p48, fr)
 - Stassart PM, Paquet J-Y (2012). *Séminaire Milan royal / éoliennes - conclusions et perspectives.* [📄](#) (p13, fr)
 - Soanes LM et al. (2012). *Individual consistency in the foraging behaviour of Northern Gannets: implications for interaction with offshore renewable energy developments.* [📄](#) (p9, en)
 - Opiel S et al. (2011). *Comparison of five modelling techniques to predict the spatial distribution and abundance of seabirds.* [📄](#) (p11, en)
 - Krijgsveld KL et al. (2011). *Effect studies offshore wind farm Egmond aan Zee -Final report on fluxes, flight altitudes and behaviour of flying birds.* [📄](#) (p334, en)
 - Lie Dahl E et al. (2011). *Reduced breeding success in white-tailed eagles at Smøla windfarm, western Norway, is caused by mortality and displacement.* [📄](#) (p7, en)
 - Collier MP, Dirksen S, Krijgsveld KL (2011). *A review of methods to monitor collisions or micro-avoidance of birds with offshore wind turbines - Strategic Ornithological Support Services Project SOSS-03A.* [📄](#) (p38, en)
 - Boutin J-M - CNERA - ONCFS (2011). *Relecture du rapport "Evaluation de l'impact du parc éolien du Rochereau (Vienne) sur l'avifaune de plaine. Rapport final 2007-2010, Thomas Williamson (2011)".* [📄](#) (p7, Fr)
 - Aumuller R et al. (2011). *Bird migration studied with remote sensing at FINO1 and FINO3.* [📄](#) (p18, en)
 - Aumüller R et al. (2011). *Description of a bird strike event and its causes at a research platform in the German Bight, North Sea.* [📄](#) (p1, en)
 - Hill R et al. (2011). *Description of bird strike event and its causes at a research platform in the German Bight, North Sea.* [📄](#) (p1, en)
 - Cadiou B et al. (2011). *Cinquième recensement national des oiseaux marins nicheurs en France métropolitaine 2009-2011. 1° synthèse: bilan intermédiaire 2009-2010.* [📄](#) (p62, fr)
 - WWF Greece (2011). *Assessing the impact of nine established wind farms on birds of prey in Thrace Greece - Annual report 2009-2010.* [📄](#) (p43, en)

- WWF Greece (2011). *Assessing the impact of nine established wind farms on birds of prey in Thrace, Greece.* [📄](#) (p93, en)
- Douglas DJT , Bellamy PE, Pearce-Higgins JW (2011). *Changes in the abundance and distribution of upland breeding birds at an operational wind farm.* [📄](#) (p7, en)
- Langston RHW, Teuten E (2011). *Foraging ranges of northern gannets *Morus bassanus* in relation to proposed offshore wind farms in the UK:2011.* [📄](#) (p19, en)
- Garvin JC et al. (2010). *Response of raptors to a windfarm.* [📄](#) (p11, en)
- Valery L (2010). *Etude de la répartition spatiale des oiseaux marins au large : Analyse synoptique de l'état de l'art pour le programme de connaissances Natura 2000 en mer.* [📄](#) (p8, fr)
- Wiggelinkhuizen EJ, den Boon JH - ECN - E-Connection Project BV (2010). *Monitoring of bird collisions in wind farm under offshore-like conditions using WT-BIRD system - Final report.* [📄](#) (p57, en)
- Krijgsveld KL et al. (2010). *Effect studies offshore wind farm Egmond aan Zee - Progress report on fluxes and behaviour of flying birds covering 2007-2008.* [📄](#) (p112, en)
- Cook ASCP, Burton NHK (2010). *A review of the potential impacts of Marine Aggregate extraction on Seabirds.* [📄](#) (p114, en)
- ● Dokter AM et al. (2010). *Bird migration flight altitudes studied by a network of operational weather radars.* [📄](#) (p15, en)
- Burton NHK, Thaxter CB, Cook ASCP, Austin GE, Wright LJ, Clark NA (2010). *Evaluating the potential impacts of tidal power schemes on estuarine waterbirds.* [📄](#) (p3, en)
- Carrizo et al. (2010). *Understanding geographical range changes of North American breeding birds.* [📄](#) (p1, en)
- Crick HQP, Bradbury RB (2010). *Challenges in climate change adaptation for UK birds.* [📄](#) (p2, en)
- ● Dokter A et al. (2010). *Automated bird migration quantification by weather radar networks.* [📄](#) (p22, en)
- ● Doswald N, Willis SG (2010). *Long and short-distance migrants: differing impacts and changes in migration strategy as a means of adapting to climate change.* [📄](#) (p3, en)
- Fuller RJ, Rothery P (2010). *Woodfuel management : prospects for reversing declines in woodland birds.* [📄](#) (p4, en)
- Green RE (2010). *An overview of the effects of climate change on birds.* [📄](#) (p2, en)
- Griffin L, Rees E, Hughes B (2010). *Whooper swan *Cygnus cygnus* migration in relation to offshore wind farms.* [📄](#) (p3, en)
- ● Langston RHW (2010). *Birds and Wind farms: where next?.* [📄](#) (p4, en)
- Maggini R et al. (2010). *Modelling range shifts for Swiss breeding birds.* [📄](#) (p3, en)
- ● Martin GR (2010). *Bird collisions: a visual or a perceptual problem?.* [📄](#) (p4, en)
- Nygard T et al. (2010). *A study of white-tailed eagle *Haliaeetus albicilla* movements and mortality at a wind farm in Norway.* [📄](#) (p4, en)
- Pearce-Higgins JW (2010). *A worked example of climate change adaptation for southern range margin populations.* [📄](#) (p2, en)
- Peron C et al. (2010). *Contrasting changes in at-sea distribution and abundance of subantarctic seabirds in the Southern Ocean.* [📄](#) (p4, en)
- Perrow MR et al. (2010). *Advances in impact assessment of offshore wind farms upon seabirds: insight from studies of terns (*Sterna* and *Sternula* spp.).* [📄](#) (p4, en)
- ● Piersma T (2010). *Climate change and shorebird migrations.* [📄](#) (p1, en)
- Saether BE (2010). *Climate-driven dynamics of bird populations: processes and patterns.* [📄](#) (p1, en)
- ● Visser D (2010). *The effects of temperature on photoperiodic responses: implications for climate change.* [📄](#) (p3, en)
- Wanless S et al. (2010). *Birds over troubled waters: effects of climate change on North Sea birds.* [📄](#) (p2, en)
- Nadai A, Labussiere O (2010). *Birds, Wind and the Making of Wind Power Landscapes in Aude, Southern France.* [📄](#) (p20, en)
- ● Masden E (2010). *Assessing the Cumulative Impacts of Wind Farms on Birds.* [📄](#) (p142, en)
- ● Zaugg S, Saporta G, Van Loon E, Schmaljohann H, Liechti F (2010). *Automatic identification of bird targets with radar via patterns produced by wing flapping.* [📄](#) (p13, en)
- Langston RHW (2010). *Offshore wind farms and birds: Round 3 zones, extensions to Round 1 & Round 2 sites & Scottish Territorial Waters.* [📄](#) (p42, en)
- Leducq I - LPO Franche-Comté (2010). *Les flux migratoires ornithologiques en Franche-Comté. Analyse et interprétation des données de Obsnatu la base 2010.* [📄](#) (p31, fr)
- Speakman J, Gray H, Furness L (2009). *University of Aberdeen report on effects of offshore wind farms on the energy demands on seabirds - October 2009.* [📄](#) (p23, en)
- Krijgsveld KL et al. (2009). *Collision risk of birds with modern large wind turbines.* [📄](#) (p10, en)
- Smallwood KS (2009). *Avian and Bat Fatality Rates at Old-Generation and Repowered Wind Turbines in California.* [📄](#) (p10, en)

- Wildfowl Wetland & Trust (2009). *Aerial Surveys of waterbirds in the UK: 2007/08, Final report.* [📄](#) (p298, en)
- Carreteo M, Sánchez-Zapatab JA, Benítezc JR, Lobónc M, Donázara JA (2009). *Large scale risk-assessment of wind-farms on population viability of a globally endangered long-lived raptor.* [📄](#) (p8, en)
- European Commission, Science For Environment Policy, Dg Environment News Alert Service (2009). *Which birds are most at risk from wind farm collisions.* [📄](#) (p1, en)
- Jones et al. (2009). *Altamont Pass Wind Resource Area 48-Hour Search Interval Bird Fatality Study.* [📄](#) (p22, en)
- Desholm M (2009). *Avian sensitivity to mortality: prioritising migratory bird species for assessment at proposed wind farms.* [📄](#) (p8, en)
- ● Masden EA et al. (2009). *Cumulative impact assessments and bird / windfarm interactions: developing a conceptual framework.* [📄](#) (p7, en)
- ● Sovacool BK (2009). *Contextualizing avian mortality: a preliminary appraisal of bird and bat fatalities from wind, fossil-fuel and nuclear electricity.* [📄](#) (p9, en)
- Biotope (2009). *Étude de la migration postnuptiale par radar - Année 2008.* [📄](#) (p86, fr)
- ● Doswald N, Willis SG, Collingham YC, Pain DJ, Green RE, Huntley, B (2009). *Potential impacts of climatic change on the breeding and non-breeding ranges and migration distance of European Sylvia warblers.* [📄](#) (p15, en)
- Govaere A, Devos S, Elleboode C, André Y, Delcourt V, Lagrange H (2008). *Etudes des mouvements d'oiseaux par radar en France - Analyse des données existantes.* [📄](#) (p56, fr)
- ● Hotker H - Compiler (2008). *Birds of prey and Wind farms: analysis of problems and possible solutions.* [📄](#) (p77, en)
- Kelly TA, Fielder JK (2008). *A framework for mitigation of bird and bat strike risk at wind farms using avian radar and SCADA interface.* [📄](#) (p7, en)
- Telleria JL (2008). *Potential impacts of wind farms on migratory birds crossing Spain.* [📄](#) (p6, en)
- Devereux CL, Denny MJH, Whittingham MJ (2008). *Minimal effects of wind turbines on the distribution of wintering farmland birds.* [📄](#) (p6, en)
- Blache S, Loose D - CORA Drôme, LPO Isère (2008). *Sensibilité des busards aux parcs éoliens - Rapport technique années 2006-2007.* [📄](#) (p50, fr)
- De Lucas M et al. (2008). *Collision fatality of raptors in wind farms does not depend on raptor abundance.* [📄](#) (p9, en)
- Smallwood KS, Thelander C (2008). *Bird Mortality in the Altamont Pass Wind Resource Area, California.* [📄](#) (p10, en)
- Smallwood KS (2007). *Estimating Wind Turbine-Caused Bird Mortality.* [📄](#) (p12, en)
- Mabey S, Paul E (2007). *Impact of wind energy and related human activities on grassland and shrub-steppe birds (literature review).* [📄](#) (p183, en)
- ● Department for Business Enterprise & Regulatory Reform (2007). *Aerial Surveys of waterbirds in strategic wind farm areas: 2005/2006 Final report.* [📄](#) (p180, en)
- ● Everaert J, Kuijken E (2007). *Wind turbines and birds in Flanders (Belgium): preliminary summary of the mortality research results.* [📄](#) (p10, en)
- Camiña Á (2007). *Energía eólica y buitre negro.* [📄](#) (p10, es)
- Follestad A, Flagstad Ø, Nygård T, Reitan O, Schulze J (2007). *Vindkraft og fugl på Smøla 2003–2006.* [📄](#) (p82, no)
- Kuntz TH et al. (2007). *Assessing impacts of wind-energy development nocturnally active birds and bats: A guidance document.* [📄](#) (p38, en)
- Larsen JK, Guillemette M (2007). *Effects of wind turbines on flight behaviour of wintering common eiders: implications for habitat use and collision risk.* [📄](#) (p9, en)
- Barclay RMR, Baerwald EF, Gruver JC (2007). *Variation in bat and bird fatalities at wind energy facilities: assessing the effects of rotor size and tower height.* [📄](#) (p8, en)
- Barclay RMR, Baerwald EF, Gruver JC (2007). *Variation in bat and bird fatalities at wind energy facilities: assessing the effects of rotor size and tower height.* [📄](#) (p7, en)
- Jain A et al. (2007). *Annual report for Maple Ridge Wind Power Project - Postconstruction bird and bat fatality study - 2006.* [📄](#) (p61, en)
- Arnett EB (2006). *A preliminary evaluation on the use of dogs to recover bat fatalities at wind energy facilities.* [📄](#) (p5, en)
- Hötker H, Thomsen KM, Jeromin H (2006). *Impacts on biodiversity of exploitation of renewable energy sources: the example of birds and bats.* [📄](#) (p65, en)
- Wiggelinkhuizen EJ, Rademakers LWMM, Barhorst SAM, Den Boon HJ (2006). *Bird collision monitoring system for multi-megawatt wind turbines WT-Bird - Summary of prototype development and testing.* [📄](#) (p17, en)
- Everaert J, Stienen EWM (2006). *Impact of wind turbines on birds in Zeebrugge (Belgium): Significant effect on breeding tern colony due to collisions.* [📄](#) (p14, en)
- Camiña Á (2006). *Las energías renovables y la conservación de aves carroneras: el caso del buitre leonado (gyps fulvus) en el norte la península ibérica.* [📄](#) (p10, es)

- Hotker H (2006). *The impact of repowering of wind farms on birds and bats.* [📄](#) (p38, en)
- Whitfield DP, Madders M (2006). *A review of the impacts of wind farms on hen harriers *Circus cyaneus* and an estimation of collision avoidance rates.* [📄](#) (p32, en)
- Biosis Research Pty (2006). *Wind farm collision risk for birds cumulative risks for threatened and migratory species.* [📄](#) (p237, en)
- Fox AD, Desholm M, Kahlert J, Christensen TK, Krag PIB (2006). *Information needs to support environmental impact assessment of the effects of European marine offshore wind farms on birds.* [📄](#) (p16, en)
- Petersen IK, TK Christensen, Kahlert J, Desholm M, Fox AD (2006). *Final results of bird studies at the offshore wind farms at Nysted and Horns Rev, Denmark.* [📄](#) (p166, en)
- Talisman Energy (2006). *Effects of the demonstrator project on birds.* [📄](#) (p24, en)
- Department Of Trade et Industry (2006). *Aerial Surveys of waterbirds in strategic wind farm areas: 2004/2005 Final report.* [📄](#) (p176, en)
- Wiggelinkhuizen E et al. (2006). *WT Bird -Bird collision recording for offshore wind farms.* [📄](#) (p5, en)
- Chamberlain DE et al. (2006). *The effect of avoidance rates on bird mortality predictions made by wind turbine collision risk models.* [📄](#) (p5, en)
- Drewitt AL et al. (2006). *Assessing the impacts of wind farms on birds.* [📄](#) (p14, en)
- Madders M, Whitfield DP (2006). *Upland raptors and the assessment of wind farm impacts.* [📄](#) (p14, en)
- Fielding AH et al. (2006). *Spatial association as an indicator of the potential for future interactions between wind energy developments and golden eagles *Aquila chrysaetos* in Scotland.* [📄](#) (p11, en)
- Haas D, Nipkow M, Fiedler G, Schneider R, Haas W, Schurenberg B - Nabu (2006). *Lignes à haute tension: comment protéger les oiseaux?.* [📄](#) (p74, fr)
- Smales I (2006). *Impacts of avian collisions with wind power turbines: an overview of the modelling of cumulative risks posed by multiple wind farms.* [📄](#) (p21, en)
- Smales et al. (2005). *Modelled cumulative impacts on the orange-bellied parrot of wind farms across the species' range in South Eastern Australia.* [📄](#) (p57, en)
- Smales I (2005). *Modelled cumulative impacts on the White-bellied Sea-eagle of wind farms across the species' Australian range.* [📄](#) (p40, en)
- Smales I, Venosta M (2005). *Risk level to select species listed under the EPBC Act, of collision at wind farms in Gippsland, Victoria.* [📄](#) (p20, en)
- Smales I (2005). *Modelled cumulative impacts on the swift parrot of wind farms across the species' range in South Eastern Australia.* [📄](#) (p41, en)
- Smales I, Muir S (2005). *Modelled cumulative impacts on the Tasmanian Wedge-tailed Eagle of wind farms across the species' range.* [📄](#) (p50, en)
- Desholm M, Kahlert J (2005). *Avian collision risk at an offshore wind farm.* [📄](#) (p3, en)
- Erickson WP, Johnson GD, Young DP Jr. (2005). *A Summary and Comparison of Bird Mortality from Anthropogenic Causes with an Emphasis on Collisions.* [📄](#) (p14, en)
- Amec Wind Limited (2005). *Offshore wind turbines and birds activity at Blyth.* [📄](#) (p26, en)
- Horch P, Keller V (2005). *Windkraftanlagen und vögel - ein Konflikt? Eine Literaturrecherche.* [📄](#) (p63, de)
- Petterson J (2005). *The impact of Offshore Wind farms on birds life in southern Kalmar Sound, Sweden - a final report based on studies 1999-2003.* [📄](#) (p128, en)
- Thonnerieux Y - Natur'ailes (2005). *Eoliennes et Oiseaux: quelles conséquences?.* [📄](#) (p6, fr)
- Walker D et al. (2005). *Resident Golden eagle ranging behaviour before and after construction of a windfarm in Argyll.* [📄](#) (p9, en)
- Desholm M (2005). *TADS investigations of avian collision risk at Nysted offshore wind farm, autumn 2004.* [📄](#) (p31, en)
- Traxler A et al. (2004). *Vogelschlag, Meideverhalten & Habitatnutzung an bestehenden Windkraftanlagen Prellenkirchen - Obersdorf - Steinberg/Prinzendorf.* [📄](#) (p106, de)
- Wiggelinkhuizen E et al. (2004). *WT Bird -Bird collision recording for offshore wind farms.* [📄](#) (p5, en)
- Langston RHW, Pullan JD - RSPB (2004). *Effects of wind farms on birds.* [📄](#) (p91, en)
- Bruderer B, Liechti F (2004). *Welcher Anteil ziehender vögel fliegt im Höhenbereich von Windturbinen.* [📄](#) (p9, de)
- Garthe S, Hüppop O (2004). *Scaling possible adverse effects of marine wind farms on seabirds: developing and applying a vulnerability index.* [📄](#) (p4, en)
- Barrios L et al. (2004). *Behavioural and environmental correlates of soaring-bird mortality at on-shore wind turbines.* [📄](#) (p10, en)
- Langston R, Pullan J - RSPB (2003). *Windfarms and Birds: An Analysis of the Effects of Windfarms on Birds, and Guidance on Environmental Assessment Criteria and Site Selection Issues.* [📄](#) (p58, en)
- Hodos W (2003). *Minimization of Motion Smear: Reducing Avian Collisions with Wind Turbines.* [📄](#) (p43, en)

- Exo K-M et al. (2003). *Birds and offshore wind farms: a hot topic in marine ecology*. [\[p4, en\]](#)
- Young Jr DP, Erickson WP, Strickland MD, Good RE, Sernka KJ (2003). *Comparison of Avian Responses to UV-Light-Reflective Paint on Wind Turbines*. [\[p67, en\]](#)
- Erickson W, Johnson G, Young D, Strickland D, Good R, Bourassa M, Bay K, Sernka K (2002). *Synthesis and Comparison of baseline avian and Bat use, raptor nesting and Mortality Information from proposed and existing wind developments*. [\[p129, en\]](#)
- Pelikan M (2002). *Radar ornithology adds to wind farm data gathering*. [\[p3, en\]](#)
- ● Pekour MS (2002). *Migrating birds: assessment of Impact on 915-MHz radar Wind Profiler Performance at the atmospheric radiation measurement program's Southern Great Plains*. [\[p6, en\]](#)
- Dooling R (2002). *Avian hearing and the Avoidance of Wind Turbines*. [\[p84, en\]](#)
- Erickson WP, Johnson GD, Strickland DM, Young DP Jr., Sernka KJ, Good RE (2001). *Avian Collisions with Wind Turbines: A Summary of Existing Studies and Comparisons to Other Sources of Avian Collision Mortality in the United States*. [\[p67, en\]](#)
- ● Krüger T, Garthe S (2001). *Flight altitudes of coastal birds in relation to wind direction and speed*. [\[p14, en\]](#)
- Percival SM (2001). *Assessment of the effects of offshore wind farms on birds*. [\[p96, en\]](#)
- Avian Subcommittee of the National Wind Coordinating Committee (2001). *Proceedings of the National Avian - Wind Power Planning Meeting IV, Carmel, CA, May 16-17, 2000*. [\[p183, en\]](#)
- Avian Subcommittee of the National Wind Coordinating Committee (2000). *Proceedings of national avian – wind power planning meeting III. San Diego, California, May 1998*. [\[p206, en\]](#)
- Erickson WP, Strickland MD, Johnson GD, Kern JW (2000). *Examples of Statistical Methods to Assess Risk of Impacts to Birds from Wind Plants*. [\[p12, en\]](#)