



Programme national

# Eolien et Biodiversité

LPO – ADEME - MTES

## Bibliographie

---

Programme Eolien et Biodiversité

### *Avifaune*

Geoffroy Marx – [geoffroy.marx@lpo.fr](mailto:geoffroy.marx@lpo.fr)

02/10/2018

#### *Légende*

- Eolien terrestre
- Eolien en mer

**ADEME**



Agence de l'Environnement  
et de la Maîtrise de l'Energie

# Avifaune

---

- ● Kleyheeg JC et al. (2018). *Predicting bird collisions with wind turbines: Comparison of the new empirical Flux Collision Model with the SOSS Band model.* [📄](#) (p10, en)
- ● McClure CJW et al. (2018). *State of the world's raptors: Distributions, threats, and conservation recommendations.* [📄](#) (p14, en)
- ● McClure CJW, Martinson L, Allison TD (2018). *Automated monitoring for birds in flight: Proof of concept with eagles at a wind power facility.* [📄](#) (p8, en)
- ● Fijn RC, Gyimesi A (2018). *Behaviour related flight speeds of Sandwich Terns and their implications for wind farm collision rate modelling and impact assessment.* [📄](#) (p5, en)
- Tikkanen H, Rytönen S, Karlin O-P, Ollila T, Pakanen V-M, Tuohimaa H, Orell M (2018). *Modelling golden eagle habitat selection and flight activity in their home ranges for safer wind farm planning.* [📄](#) (p12, en)
- Martínez-Marivela I et al. (2018). *Traffic Noise Pollution Does Not Influence Habitat Selection in the Endangered Little Bustard.* [📄](#) (p11, en)
- Tetra Tech EC, Inc. (2018). *Avian Monitoring and Mortality - Report at the National Wind Technology Center: January 2010 - February 2011 .* [📄](#) (p211, en)
- Krone O, Treu G (2018). *Movement patterns of white-tailed sea eagles near wind turbines.* [📄](#) (p9, en)
- Sur M, Belthoff JR, Bjerre ER, Millsap BA, Katzner T (2018). *The utility of point count surveys to predict wildlife interactions with wind energy facilities: An example focused on golden eagles.* [📄](#) (p8, en)
- Aschwanden J, Stark H, Peter D, Steuri T, Schmid B, Liechti F (2018). *Bird collisions at wind turbines in a mountainous area related to bird movement intensities measured by radar.* [📄](#) (p9, en)
- ● Skov H, Heinänen S, Norman T, Ward RM, Méndez-Roldán S, Ellis I (2018). *ORJIP Bird Collision and Avoidance Study. Final report – April 2018.* [📄](#) (p248, en)
- ● Lacroux O, Dumoulin A - Diades Marine (2018). *New technology for 3D bird detection radar.* [📄](#) (p5, fr)
- ● Skov H, Heinänen S, Norman T, Ward R, Méndez Roldan S (2018). *Bird avoidance behaviour and collision impact monitoring at offshore wind farms.* [📄](#) (p4, fr)
- Duriez O, Pilard P, Saulnier N, Bouzin M, Boudarel P, Besnard A (2018). *Estimation de l'impact démographique du Parc éolien d'Aumelas sur la population héraultaise de Faucons crécerellettes.* [📄](#) (p17, fr)
- ● Nehls G, Burger C, Kleinschmidt B, Quillfeldt P, Heinänen S, Morkunas J, Zydalis R (2018). *From effects to impacts : Analysing displacement of Red-throated Divers in relation to their wintering home ranges.* [📄](#) (p3, fr)
- Marx G - LPO France (2018). *Le parc éolien français et ses impacts sur l'avifaune - Etude des suivis de mortalité réalisés en France de 1997 à 2015.* [📄](#) (p7, fr)
- Itty C, Duriez O (2018). *Le suivi par GPS, une méthode efficace pour évaluer l'impact des parcs éoliens sur des espèces à fort enjeux de conservation : l'exemple de l'aigle royal (Aquila chrysaetos) dans le sud du massif central.* [📄](#) (p7, fr)
- Dürr T (2018). *Vogelverluste an Windenergieanlagen / bird fatalities at windturbines in Europe.* [📄](#) (p8, de)
- Watson RT, Kolar PS, Ferrer M, Nygard T, Johnston N, Hunt WG, Smit-Robinson HA, Farmer C, Huso MM, Katzner TE (2018). *Raptor Interactions With Wind Energy: Case Studies From Around the World.* [📄](#) (p19, en)
- ● Warwick-Evans V, Atkinson P, Walkington I, Green J (2018). *Predicting the impacts of wind farms on seabirds: An individual-based model.* [📄](#) (p13, en)
- ● Gómez-Catasús J, Garza V, Traba J (2018). *Wind farms affect the occurrence, abundance and population trends of small passerine birds: The case of the Dupont's lark.* [📄](#) (p31, en)
- ● Jenkins AR et al. (2018). *Combining radar and direct observation to estimate pelican collision risk at a proposed wind farm on the Cape west coast, South Africa.* [📄](#) (p12, en)
- Lange CJ, Ballard BM, Collins DP (2018). *Impacts of wind turbines on redheads in the Laguna Madre.* [📄](#) (p7, en)
- Whalen CE, Brown MB, McGee J, Powell LA, Walsh EJ (2018). *Male Greater Prairie-Chickens adjust their vocalizations in the presence of wind turbine noise.* [📄](#) (p12, en)
- Rodrigues S, Rosa L, Mascarenhas M (2018). *An Overview on Methods to Assess Bird and Bat Collision Risk in Wind Farms.* [📄](#) (p24, en)

- Paula J, Augusto M, Neves T, Bispo R, Cardoso P, Mascarenhas M (2018). *Comparing Field Methods Used to Determine Bird and Bat Fatalities*. [📄](#) (p15, en)
- Marques J, Rodrigues L, João Silva M, Santos J, Bispo R, Bernardino J (2018). *Estimating Bird and Bat Fatality at Wind Farms: From Formula-Based Methods to Models to Assess Impact Significance*. [📄](#) (p54, en)
- ● May R, Åström J, Hamre O, Dahl E (2017). *Do birds in flight respond to (ultra)violet lighting?*. [📄](#) (p10, en)
- Marcelino J, et al. (2017). *Tracking data of the Little Bustard *Tetrax tetrax* in Iberia shows high anthropogenic mortality*. [📄](#) (p12, en)
- Arıkan K, Turan SL (2017). *Estimation of bird fatalities caused by wind turbines in Turkey*. [📄](#) (p7, en)
- Shewring MP, Vafidis JO (2017). *The effectiveness of deterrent measures to minimize disturbance impacts to breeding European nightjar at an upland wind farm site in South Wales, UK*. [📄](#) (p4, en)
- Yoshihashi R et al. (2017). *Bird detection and species classification with time-lapse images around a wind farm: Dataset construction and evaluation*. [📄](#) (p13, en)
- Szymański P et al. (2017). *The song of Skylarks *Alauda arvensis* indicates the deterioration of an acoustic environment resulting from wind farm start-up*. [📄](#) (p21, en)
- O (2017). *Base de données du Suivi des populations d'oiseaux et de chauves-souris relié à l'énergie éolienne - Juillet 2017*. [📄](#) (p51, fr)
- Smallwood KS (2017). *Long search intervals underestimate bird and bat fatalities caused by wind turbines*. [📄](#) (p7, en)
- Marx G - LPO France (2017). *Le parc éolien français et ses impacts sur l'avifaune - Etude des suivis de mortalité réalisés en France de 1997 à 2015*. [📄](#) (p92, fr)
- Homoya W, Moore JW, Ruhl PJ, Dunning JB Jr (2017). *Do American Golden-Plovers (*Pluvialis dominica*) Avoid Wind-energy Turbines in Agricultural Fields in Indiana During Spring Migration?*. [📄](#) (p10, en)
- Hötker H et al. (2017). *Birds of Prey and Wind Farms - Analysis of Problems and Possible Solutions*. [📄](#) (p332, fr)
- ● Schmidt M, Aschwanden J, Liechti F, Wichmann G, Nemeth E (2017). *Comparison of visual bird migration counts with radar estimates*. [📄](#) (p15, fr)
- Vasilakis DP et al. (2017). *A balanced solution to the cumulative threat of industrialized wind farm development on cinereous vultures (*Aegypius monachus*) in south-eastern Europe*. [📄](#) (p17, en)
- Farfán MA et al. (2017). *Differential recovery of habitat use by birds after wind farm installation: A multi-year comparison*. [📄](#) (p8, en)
- McCann D, Bell P (2017). *Visualising the Aspect-Dependent Radar Cross Section of Seabirds over a Tidal Energy Test Site Using a Commercial Marine Radar System*. [📄](#) (p8, en)
- Garthe SG, Markones Nele, Corman A-M (2017). *Possible impacts of offshore wind farms on seabirds: a pilot study in Northern Gannets in the southern North Sea*. [📄](#) (p6, en)
- Beroud T, Druais J, Bay Y, Ricci JC (2017). *Visual counts, bioacoustics and RADAR: three methods to study waterfowl pre-nuptial migration in Southern France*. [📄](#) (p14, en)
- Welcker J et al. (2016). *Nocturnal migrants do not incur higher collision risk at wind turbines than diurnally active species*. [📄](#) (p16, en)
- Litsgård F, Eriksson A, Wizelius T, Säfström T (2016). *Pilotinstallation av DTBird-systemet i Sverige Möjligheter med skyddssystem för fågelfaunan vid vindkraftanläggningar – erfarenheter från Sveriges första installation av DTBird*. [📄](#) (p43, su)
- Horswill C, O'Brien SH, Robinson RA (2016). *Density dependence and marine bird populations: are wind farm assessments precautionary?*. [📄](#) (p9, en)
- Korner-Nievergelt F, Brossard C, Filliger R, Gremaud J, Lugon A, Mermoud O, Schaub M, Wechsler S (2016). *Effets cumulés des éoliennes du Jura vaudois et des régions limitrophes sur l'avifaune et les chiroptères : risque de collisions et de perte d'habitat pour quelques espèces d'oiseaux et de chiroptères*. [📄](#) (p181, fr)
- Aschwanden J, Liechti F (2016). *Vogelzugintensität und Anzahl Kollisionsopfer an Windenergieanlagen am Standort Le Peuchapatte (JU)*. [📄](#) (p74, de)
- Cornelis N, Strehler-Perrin C, Balsiger L et al. (2016). *Evaluation des impacts résiduels cumulés des éoliennes du Jura vaudois et des régions limitrophes sur la faune ailée*. [📄](#) (p70, fr)
- Adams J, Kelsey EC, Felis JJ, Pereksta DM (2016). *Collision and Displacement Vulnerability among Marine Birds of the California Current System Associated with Offshore Wind Energy Infrastructure*. [📄](#) (p126, en)
- Katzner TE et al. (2016). *Golden Eagle fatalities and the continental-scale consequences of local wind-energy generation*. [📄](#) (p10, en)
- Scottish Natural Heritage (2016). *Avoidance Rates for the onshore SNH Wind Farm Collision Risk Model*. [📄](#) (p4, en)
- Santos M et al. (2016). *A spatial explicit agent based model approach to evaluate the performance of different monitoring options for mortality estimates in the scope of onshore windfarm impact assessments*. [📄](#) (p10, en)
- Wade HM, Masden EA, Jackson AC, Furness RW (2016). *Incorporating data uncertainty when estimating potential vulnerability of Scottish seabirds*

to marine renewable energy developments. [📄](#) (p6, en)

- Grünkorn T, von Rönn J, Blew J, Nehls G, Weitekamp S, Timmermann H, Reichenbach M, Coppack T (2016). *Détermination des taux de collision des oiseaux (y compris rapaces) et principes fondamentaux pour prévoir et évaluer le risque de collision dans la conception des projets éoliens (projet de recherche PROGRESS)*. [📄](#) (p27, fr)
- Suryan R, Albertani R, Polagye B (2016). *A Synchronized Sensor Array for Remote Monitoring of Avian and Bat Interactions with Offshore Renewable Energy Facilities*. [📄](#) (p33, en)
- Bird Studies Canada, Canadian Wind Energy Association, Environment Canada and Ontario Ministry of Natural Resources (2016). *Base de données du Suivi des populations d'oiseaux et de chauves-souris relié à l'énergie éolienne - Juillet 2016*. [📄](#) (p48, fr)
- Zehindjiev P, Whitfield D (2016). *Bird Migration Monitoring in the Saint Nikola Wind Farm, Kaliakra Region, in Autumn 2015, and an Analysis of Potential Impact after Six Years of Operation*. [📄](#) (p30, en)
- Kolar PS, Bechard MJ (2016). *Wind energy, nest success, and post-fledging survival of Buteo hawks*. [📄](#) (p14, en)
- Arnett EB, May RF (2016). *Mitigating wind energy impacts on wildlife: approaches for multiple taxa*. [📄](#) (p14, en)
- Sansom A, Pearce-Higgins JW, Douglas DJT (2016). *Negative impact of wind energy development on a breeding shorebird assessed with a BACI study design*. [📄](#) (p15, en)
- Beston JA, Diffendorfer JE, Loss SR, Johnson DH (2016). *Prioritizing Avian Species for Their Risk of Population-Level Consequences from Wind Energy Development*. [📄](#) (p19, en)
- Hüppop O, Hüppop K, Dierschke J, Hill R (2016). *Bird collisions at an offshore platform in the North Sea*. [📄](#) (p10, en)
- Vasilakis DP, Whitfield DP, Schindler S, Poirazidis KS, Kati V (2016). *Reconciling endangered species conservation with wind farm development: Cinereous vultures (Aegypius monachus) in south-eastern Europe*. [📄](#) (p8, en)
- ● Geringer MB, Lima SL, Devault TL (2015). *Evaluation of an avian radar system in a midwestern landscape*. [📄](#) (p10, en)
- Riols-Loyrette Christian - LPO Aude (2015). *Impact de parcs éoliens sur un couple d'Aigle royal Aquila chrysaetos dans les Corbières*. [📄](#) (p6, fr)
- ● Sheppard et al. (2015). *An autonomous GPS geofence alert system to curtail avian fatalities at wind farms*. [📄](#) (p8, en)
- ● Yoshihashi R, Kawakami R, Iida M, Naemura T - The University of Tokyo (2015). *Evaluation of Bird Detection using Time-lapse Images around a Wind Farm*. [📄](#) (p8, en)
- ● Yoshihashi R, Kawakami R, Iida M, Naemura T - The University of Tokyo (2015). *Construction of a bird image dataset for ecological investigations*. [📄](#) (p5, en)
- Cleasby IR, Wakefield ED, Bearhop S, Bodey TW, Votier SC, Hamer KC (2015). *Three-dimensional tracking of a wide-ranging marine predator: flight heights and vulnerability to offshore wind farms*. [📄](#) (p9, en)
- Wade H (2015). *Investigating the Potential Effects of Marine Renewable Energy Developments on Seabirds*. [📄](#) (p417, en)
- Masden E (2015). *Developing an Avian Collision Risk Model to Incorporate Variability and Uncertainty*. [📄](#) (p47, en)
- ● Balotari-Chiebao F, Brommer JE, Niinimäki T, Laaksonen T (2015). *Proximity to wind-power plants reduces the breeding success of the white-tailed eagle*. [📄](#) (p8, en)
- Busch M, Garthe S (2015). *Approaching population thresholds in presence of uncertainty: Assessing displacement of seabirds from offshore wind farms*. [📄](#) (p12, en)
- ● Loss SR, Will T, Marra PP (2015). *Direct Mortality of Birds from Anthropogenic Causes*. [📄](#) (p22, en)
- Hernández-Pliego J, de Lucas M, Muñoz A-R, Ferrer M (2015). *Effects of wind farms on Montagu's harrier (Circus pygargus) in southern Spain*. [📄](#) (p7, en)
- Reid T, Kruger S, Whitfield DP, Amar A (2015). *Using spatial analyses of bearded vulture movements in southern Africa to inform wind turbine placement*. [📄](#) (p12, en)
- Martin C (2015). *Effectiveness of operational mitigation in reducing bat mortality and an assessment of bat and bird fatalities at the Sheffield Wind Facility, Vermont*. [📄](#) (p196, en)
- ● May R (2015). *A Unifying Framework for the Underlying Mechanisms of Avian Avoidance of Wind Turbines*. [📄](#) (p9, en)
- Ponchon A, Gallien F, Le Guillou G, Grémillet D (2015). *Distribution en mer et utilisation de l'habitat des mouettes tridactyles nichant sur les côtes de la Manche*. [📄](#) (p47, fr)
- Hunt GW (2015). *Addressing the Factors that Juxtapose Raptors and Wind Turbines*. [📄](#) (p6, en)
- New L, Bjerre E, Millsap B, Otto Mc, Runge Mc (2015). *A Collision Risk Model to Predict Avian Fatalities at Wind Facilities: An Example Using Golden Eagles, Aquila chrysaetos*. [📄](#) (p12, en)
- Hanagasioglu M, Aschwanden J, Bontadina F, Marcos de la Puente N (2015). *Investigation of the effectiveness of bat and bird detection of the DTBat*

and DTBird systems at Calandawind turbine - Final Report. [📄](#) (p142, en)

2012-2014: Minimizing Conflicts with Future Offshore Wind Energy Development. [📄](#) (p37, en)

- Graff BJ (2015). *An assessment of direct mortality to avifauna from wind energy facilities in North Dakota and South Dakota.* [📄](#) (p88, en)
- ● Cook A, Collier M (2015). *Understanding avian collision rate modelling and application at the population level.* [📄](#) (p45, en)
- Thaxter C, Ross-Smith V, Bouten W, Clark N, Conway G, Rehfish M, Burton N (2015). *Seabird–wind farm interactions during the breeding season vary within and between years: A case study of lesser black-backed gull *Larus fuscus* in the UK.* [📄](#) (p12, en)
- Fijn R, Krijgsveld K, Poot M, Dirksen S (2015). *Bird Movements at Rotor Heights Measured Continuously with Vertical Radar at a Dutch Offshore Wind Farm.* [📄](#) (p15, en)
- Al Zohbi G, Hendrick P, Bouillard P (2015). *Evaluation of the impact of wind farms on birds: The case study of Lebanon.* [📄](#) (p8, en)
- Brabant R, Vanermen N, Steinen E, Degraer S (2015). *Towards a Cumulative Collision Risk Assessment of Local and Migrating Birds in North Sea Offshore Wind Farms.* [📄](#) (p12, en)
- Garcia DA, Canavero G, Ardenghi F, Zamboni M (2015). *Analysis of wind farm effects on the surrounding environment: Assessing population trends of breeding passerines.* [📄](#) (p7, en)
- May R et al. (2015). *Mitigating wind-turbine induced avian mortality: Sensory, aerodynamic and cognitive constraints and options.* [📄](#) (p12, en)
- Lapointe J et al. (2015). *Habitat du faucon pèlerin dans le sud du Québec durant la période de reproduction : conséquences pour l'implantation de parcs éoliens.* [📄](#) (p9, fr)
- Whitfield D, Urquhart B (2015). *Deriving an Avoidance Rate for Swans Suitable for Onshore Wind Farm Collision Risk Modelling.* [📄](#) (p15, en)
- Braunschwa V, Coppesa J, Bächle S, Suchanta R (2015). *Underpinning the precautionary principle with evidence: A spatial concept for guiding wind power development in endangered species' habitats.* [📄](#) (p10, en)
- ● Wang Sh, Wang Si, Smith P (2015). *Ecological Impacts of Wind Farms on Birds: Questions, Hypotheses, and Research Needs.* [📄](#) (p9, en)
- Smales I (2015). *Fauna Collisions with Wind Turbines: Effects and Impacts, Individuals and Populations. What Are We Trying to Assess?.* [📄](#) (p18, en)
- Therkildsen OR, Elmeros M (2015). *First year post-construction monitoring of bats and birds at wind turbine test Centre Østerild.* [📄](#) (p128, en)
- Williams K, Stenhouse I, Tash J, Adams E, Goodale W (2015). *Pelagic Waterbird Surveys in the Great Lakes,*
- Aschwanden J, Wanner S, Liechti F (2015). *Investigation on the effectivity of bat and bird detection at a wind turbine: Final Report Bird Detection.* [📄](#) (p35, en)
- Lovich JE (2015). *Golden eagle mortality at a wind-energy facility near palm springs, California.* [📄](#) (p6, en)
- ● Singh K, Baker E, Lackner M (2014). *Curtailing Wind Turbine Operations to Reduce Avian Mortality.* [📄](#) (p6, en)
- Vanermen N, Onkelinx T, Verschelde P, Courtens W, Van de walle M, Verstraete H, Stienen E (2014). *Assessing Seabird Displacement at Offshore Wind Farms: Power Ranges of a Monitoring and Data Handling Protocol.* [📄](#) (p13, en)
- Cook ASCP, Humphreys Elizabeth M, Masden Elizabeth A, Burton Niall HK (2014). *The Avoidance Rates of Collision Between Birds and Offshore Turbines.* [📄](#) (p263, en)
- Sheppard et al. (2014). *Curtailing Avian Impacts with Wind Turbines using GSM/GPS Tracking Telemetry that Incorporates Autonomous Geofence Alerts.* [📄](#) (p45, en)
- Vanermen N, Onkelinx T, Courtens W, Van de walle M, Verstraete H, Stienen EWM (2014). *Seabird avoidance and attraction at an offshore wind farm in the Belgian part of the North Sea.* [📄](#) (p11, en)
- Skov H, Heinänen S (2014). *Predicting the Weather-Dependent Collision Risk for Birds at Wind Farms.* [📄](#) (p19, en)
- Erickson WP, Wolfe MM, Bay KJ, Johnson DH, Gehring JL (2014). *A Comprehensive Analysis of Small-Passerine Fatalities from Collision with Turbines at Wind Energy Facilities.* [📄](#) (p18, en)
- Bolker Ethan D., Hatch Jeremy J., Zara Catalin (2014). *Modeling how windfarm geometry affects bird mortality.* [📄](#) (p18, en)
- Bradbury G, Trinder M, Furness B, Banks AN, Caldwell RWG et al. (2014). *Mapping Seabird Sensitivity to Offshore Wind Farms.* [📄](#) (p17, en)
- Margalida A, Sanchez-Zapata JA, Blanco G, Hiraldo F, Donazar JA (2014). *Ultraviolet Vision and Avoidance of Power Lines in Birds and Mammals.* [📄](#) (p3, en)
- Soares Maria (2014). *An avian relative fatality risk index for Iberian species on wind farms based on zero inflated count models.* [📄](#) (p60, en)
- Goodale MW, Stenhouse IJ, Williams KA (2014). *Reducing the Adverse Effects of Offshore Wind Development on Waterbirds in the Great Lakes: A Proposed Four-Step Approach.* [📄](#) (p72, en)
- Everaert J (2014). *Collision risk and micro-avoidance rates of birds with wind turbines in Flanders.* [📄](#) (p11, en)

- McNew LB, Hunt LM, Gregory AJ, Wisely SM, Sandercock BK (2014). *Effects of Wind Energy Development on Nesting Ecology of Greater Prairie-Chickens in Fragmented Grasslands.* [📄](#) (p11, en)
- Villegas-Patracá R, Cabrera-Cruz SA, Herrera-Alsina L (2014). *Soaring Migratory Birds Avoid Wind Farm in the Isthmus of Tehuantepec, Southern Mexico.* [📄](#) (p7, en)
- Dubois PJ - LPO (2013). *L'Avifaune française et le changement climatique : espèces indicatrices.* [📄](#) (p28, fr)
- Wade HM et al. (2013). *Habitat use by seabird species in high-velocity current flows: investigating the potential effects of tidal-stream renewable energy developments.* [📄](#) (p5, en)
- Scott B (2013). *Seabirds and marine renewables: are we asking the right questions about indirect effects?.* [📄](#) (p4, en)
- Trinder M et al. (2013). *Potential impact of offshore wind farm collisions on the Gannet population of the British Isles explored using PVA.* [📄](#) (p2, en)
- Furness RW et al. (2013). *Potential population-level consequences of marine renewables.* [📄](#) (p2, en)
- Leopold M (2013). *Are auks the ideal birds to study offshore wind farm impact on seabirds?.* [📄](#) (p1, en)
- Krijgsveld K, Dirksen S (2013). *Avoidance behaviour and flight intensities of birds in an offshore wind farm in the Netherlands.* [📄](#) (p1, en)
- Thaxter C et al. (2013). *Connectivity between seabird features of protected sites and offshore wind farms: Lesser Black-backed Gulls and Great Skuas through the breeding, migration and non-breeding seasons.* [📄](#) (p1, en)
- Owen E (2013). *Connectivity between seabird SPAs and wind farms: an overview from the FAME project.* [📄](#) (p1, en)
- McDonald C et al. (2013). *Displacement effects modelling for central place foraging auks with the Forth/Tay as a case study.* [📄](#) (p1, en)
- Mackenzie A, Perrow M (2013). *Individual-based population viability modelling as a tool to quantify the effect of wind farm collisions.* [📄](#) (p1, en)
- Mackenzie M et al. (2013). *Wind farm displacement studies from Nysted, Denmark.* [📄](#) (p1, en)
- Loss SR, Will T, Marra PP (2013). *Estimates of bird collision mortality at wind facilities in the contiguous United States.* [📄](#) (p9, en)
- Korner-Nievergelt F, Brinkmann R, Niermann I, Behr O (2013). *Estimating Bat and Bird Mortality Occurring at Wind Energy Turbines from Covariates and Carcass Searches Using Mixture Models.* [📄](#) (p11, en)
- Gitenet P - LPO Hérault (2013). *Reproduction et mortalité du Busard cendré sur un parc éolien du sud de la France.* [📄](#) (p6, fr)
- Bellebaum J, Korner-Nievergelt F, Dürr T, Mammen U (2013). *Wind turbine fatalities approach a level of concern in a raptor population.* [📄](#) (p7, en)
- Zimmerling JR, Pomeroy AC, D'Entremont MV, Francis CM (2013). *Canadian Estimate of Bird Mortality Due to Collisions and Direct Habitat Loss Associated with Wind Turbine Developments.* [📄](#) (p13, en)
- Aumüller R et al. (2013). *Weichen Zugvögel Windenergieanlagen auf See aus? Eine Methode zur Untersuchung und Analyse von Reaktionen tagsüber ziehender Vogelarten auf Offshore-Windparks.* [📄](#) (p11, de)
- Smallwood KS (2013). *Comparing bird and bat fatality-rate estimates among North American wind-energy projects.* [📄](#) (p15, en)
- Liechti F, Guélat J, Komenda-Zehnder S (2013). *Modelling the spatial concentrations of bird migration to assess conflicts with wind turbines.* [📄](#) (p9, en)
- Kitano M, Shiraki S (2013). *Estimation of bird fatalities at wind farms with complex topography and vegetation in Hokkaido, Japan.* [📄](#) (p8, en)
- Camiña Á (2013). *Guidelines for wind farm planning on birds and bats: Lessons learned from operating wind farms.* [📄](#) (p40, en)
- Furness RW, Wade HM, Masden EA (2013). *Assessing vulnerability of marine bird populations to offshore wind farms.* [📄](#) (p11, en)
- Farque P - LPO (2013). *Interactions entre oiseaux marins et parcs éolien en mer : connaissances, contexte et solutions sur les côtes françaises.* [📄](#) (p56, fr)
- Lampman G - New Jersey Audubon, Old Bird Inc and North East Ecological Services (2013). *Post-construction wildlife monitoring at Maple Ridge wind farm - Final report.* [📄](#) (p34, en)
- May R, Hamre O, Vang R, Nygård T (2012). *Evaluation of the DTBird video-system at the Smøla wind-power plant. Detection capabilities for capturing near-turbine avian behaviour.* [📄](#) (p32, en)
- Busch M, Kannen A, Garthe S, Jessopp M (2012). *Consequences of a cumulative perspective on marine environmental impacts: Offshore wind farming and seabirds at North Sea scale in context of the EU Marine Strategy Framework Directive.* [📄](#) (p12, en)
- Sutter C, Martin K, Grandgent C (2012). *Condor detection and alerting system.* [📄](#) (p20, en)
- Bennett E (2012). *Observations from the Use of Dogs to Undertake Carcass Searches at Wind Facilities in Australia.* [📄](#) (p10, en)
- Therkildsen OR, Elmeros M, Kahlert J, Desholm M (2012). *Baseline investigations of bats and birds at wind turbine test centre Østerild.* [📄](#) (p128, en)

- Rydell J, Engström H, Hedenström A, Larsen JK, Pettersson J, Green M (2012). *The effect of wind power on birds and bats – A synthesis*. [\[p152, en\]](#)
- Schaub Michael (2012). *Spatial distribution of wind turbines is crucial for the survival of red kite populations*. [\[p8, en\]](#)
- Plonczkier P, Simms IC (2012). *Radar monitoring of migrating pink-footed geese: behavioural responses to offshore wind farm development*. [\[p9, en\]](#)
- Cook ASCP, Wright LJ, Burton NHK - BTO (2012). *A Review of flight heights and avoidance rates of birds in relation to offshore windfarms*. [\[p61, en\]](#)
- Band B (2012). *Using a collision risk model to assess bird collision risks for offshore windfarms*. [\[p62, en\]](#)
- Collier MP, Dirksen S, Krijgsveld KL (2012). *A review of methods to monitor collisions or micro-avoidance of birds with offshore wind turbines. Part 2 : Feasibility study of systems to monitor collisions*. [\[p30, en\]](#)
- de Lucas M, Ferrer M, Bechard MF, Muñoz AR (2012). *Griffon vulture mortality at wind farms in southern Spain: Distribution of fatalities and active mitigation measures*. [\[p6, en\]](#)
- Pearce-Higgins JW, Stephen L, Douse A, Langston RHW (2012). *Greater impacts of wind farms on bird populations during construction than subsequent operation: results of a multi-site and multi-species analysis*. [\[p9, en\]](#)
- Markid L (2012). *Does offshore wind farm development result in habitat loss for seabirds?* [\[p34, en\]](#)
- Actes du séminaire citoyen Luceole (2012). *Coexistence Milan royal et parc éolien - pour une compréhension ouverte d'un problème complexe*. [\[p48, fr\]](#)
- Stassart PM, Paquet J-Y (2012). *Séminaire Milan royal / éoliennes - conclusions et perspectives*. [\[p13, fr\]](#)
- Soanes LM et al. (2012). *Individual consistency in the foraging behaviour of Northern Gannets: implications for interaction with offshore renewable energy developments*. [\[p9, en\]](#)
- Oppel S et al. (2011). *Comparison of five modelling techniques to predict the spatial distribution and abundance of seabirds*. [\[p11, en\]](#)
- Krijgsveld KL et al. (2011). *Effect studies offshore wind farm Egmond aan Zee -Final report on fluxes, flight altitudes and behaviour of flying birds*. [\[p334, en\]](#)
- Lie Dahl E et al. (2011). *Reduced breeding success in white-tailed eagles at Smøla windfarm, western Norway, is caused by mortality and displacement*. [\[p7, en\]](#)
- Collier MP, Dirksen S, Krijgsveld KL (2011). *A review of methods to monitor collisions or micro-avoidance of birds with offshore wind turbines - Strategic Ornithological Support Services Project SOSS-03A*. [\[p38, en\]](#)
- Boutin J-M - CNERA - ONCFS (2011). *Relecture du rapport "Evaluation de l'impact du parc éolien du Rochereau (Vienne) sur l'avifaune de plaine. Rapport final 2007-2010, Thomas Williamson (2011)"*. [\[p7, Fr\]](#)
- Aumuller R et al. (2011). *Bird migration studied with remote sensing at FINO1 and FINO3*. (p18, en)
- Aumüller R et al. (2011). *Description of a bird strike event and its causes at a research platform in the German Bight, North Sea*. [\[p1, en\]](#)
- Hill R et al. (2011). *Description of bird strike event and its causes at a research platform in the German Bight, North Sea*. [\[p1, en\]](#)
- WWF Greece (2011). *Assessing the impact of nine established wind farms on birds of prey in Thrace, Greece*. [\[p93, en\]](#)
- Cadiou B et al. (2011). *Cinquième recensement national des oiseaux marins nicheurs en France métropolitaine 2009-2011. 1° synthèse: bilan intermédiaire 2009-2010*. [\[p62, fr\]](#)
- WWF Greece (2011). *Assessing the impact of nine established wind farms on birds of prey in Thrace Greece - Annual report 2009-2010*. [\[p43, en\]](#)
- Douglas DJT , Bellamy PE, Pearce-Higgins JW (2011). *Changes in the abundance and distribution of upland breeding birds at an operational wind farm*. [\[p7, en\]](#)
- Langston RHW, Teuten E (2011). *Foraging ranges of northern gannets *Morus bassanus* in relation to proposed offshore wind farms in the UK:2011*. [\[p19, en\]](#)
- González MA, Ena V (2011). *Cantabrian Capercaillie signs disappeared after a wind farm construction*. [\[p10, en\]](#)
- Garvin JC et al. (2010). *Response of raptors to a windfarm*. [\[p11, en\]](#)
- Valery L (2010). *Etude de la répartition spatiale des oiseaux marins au large : Analyse synoptique de l'état de l'art pour le programme de connaissances Natura 2000 en mer*. [\[p8, fr\]](#)
- Wiggelinkhuizen EJ, den Boon JH - ECN - E-Connection Project BV (2010). *Monitoring of bird collisions in wind farm under offshore-like conditions using WT-BIRD system - Final report*. [\[p57, en\]](#)
- Krijgsveld KL et al. (2010). *Effect studies offshore wind farm Egmond aan Zee - Progress report on fluxes and behaviour of flying birds covering 2007-2008*. [\[p112, en\]](#)
- Cook ASCP, Burton NHK (2010). *A review of the potential impacts of Marine Aggregate extraction on Seabirds*. [\[p114, en\]](#)

- ● Dokter AM et al. (2010). *Bird migration flight altitudes studied by a network of operational weather radars*. [📄](#) (p15, en)
- ● Dokter A et al. (2010). *Automated bird migration quantification by weather radar networks*. [📄](#) (p22, en)
- ● Perrow MR et al. (2010). *Advances in impact assessment of offshore wind farms upon seabirds: insight from studies of terns (Sterna and Sternula spp.)*. [📄](#) (p4, en)
- ● Martin GR (2010). *Bird collisions: a visual or a perceptual problem?*. [📄](#) (p4, en)
- ● Langston RHW (2010). *Birds and Wind farms: where next?*. [📄](#) (p4, en)
- ● Peron C et al. (2010). *Contrasting changes in at-sea distribution and abundance of subantarctic seabirds in the Southern Ocean*. [📄](#) (p4, en)
- ● Nygard T et al. (2010). *A study of white-tailed eagle Haliaeetus albicilla movements and mortality at a wind farm in Norway*. [📄](#) (p4, en)
- ● Fuller RJ, Rothery P (2010). *Woodfuel management : prospects for reversing declines in woodland birds*. [📄](#) (p4, en)
- ● Burton NHK, Thaxter CB, Cook ASCP, Austin GE, Wright LJ, Clark NA (2010). *Evaluating the potential impacts of tidal power schemes on estuarine waterbirds*. [📄](#) (p3, en)
- ● Doswald N, Willis SG (2010). *Long and short-distance migrants: differing impacts and changes in migration strategy as a means of adapting to climate change*. [📄](#) (p3, en)
- ● Visser D (2010). *The effects of temperature on photoperiodic responses: implications for climate change*. [📄](#) (p3, en)
- ● Griffin L, Rees E, Hughes B (2010). *Whooper swan Cygnus cygnus migration in relation to offshore wind farms*. [📄](#) (p3, en)
- ● Maggini R et al. (2010). *Modelling range shifts for Swiss breeding birds*. [📄](#) (p3, en)
- ● Wanless S et al. (2010). *Birds over troubled waters: effects of climate change on North Sea birds*. [📄](#) (p2, en)
- ● Pearce-Higgins JW (2010). *A worked example of climate change adaptation for southern range margin populations*. [📄](#) (p2, en)
- ● Green RE (2010). *An overview of the effects of climate change on birds*. [📄](#) (p2, en)
- ● Crick HQP, Bradbury RB (2010). *Challenges in climate change adaptation for UK birds*. [📄](#) (p2, en)
- ● Piersma T (2010). *Climate change and shorebird migrations*. [📄](#) (p1, en)
- ● Saether BE (2010). *Climate-driven dynamics of bird populations: processes and patterns*. [📄](#) (p1, en)
- ● Carrizo et al. (2010). *Understanding geographical range changes of North American breeding birds*. [📄](#) (p1, en)
- ● Nadai A, Labussiere O (2010). *Birds, Wind and the Making of Wind Power Landscapes in Aude, Southern France*. [📄](#) (p20, en)
- ● Masden E (2010). *Assessing the Cumulative Impacts of Wind Farms on Birds*. [📄](#) (p142, en)
- ● Zaugg S, Saporta G, Van Loon E, Schmaljohann H, Liechti F (2010). *Automatic identification of bird targets with radar via patterns produced by wing flapping*. [📄](#) (p13, en)
- ● Langston RHW (2010). *Offshore wind farms and birds: Round 3 zones, extensions to Round 1 & Round 2 sites & Scottish Territorial Waters*. [📄](#) (p42, en)
- ● Leducq I - LPO Franche-Comté (2010). *Les flux migratoires ornithologiques en Franche-Comté. Analyse et interprétation des données de Obsnatu la base 2010*. [📄](#) (p31, fr)
- ● Speakman J, Gray H, Furness L (2009). *University of Aberdeen report on effects of offshore wind farms on the energy demands on seabirds - October 2009*. (p23, en)
- ● Krijgsveld KL et al. (2009). *Collision risk of birds with modern large wind turbines*. [📄](#) (p10, en)
- ● Smallwood KS (2009). *Avian and Bat Fatality Rates at Old-Generation and Repowered Wind Turbines in California*. [📄](#) (p10, en)
- ● Wildfowl Wetland & Trust (2009). *Aerial Surveys of waterbirds in the UK: 2007/08, Final report*. [📄](#) (p298, en)
- ● Carretea M, Sánchez-Zapatab JA, Benítezc JR, Lobónc M, Donázara JA (2009). *Large scale risk-assessment of wind-farms on population viability of a globally endangered long-lived raptor*. [📄](#) (p8, en)
- ● European Commission, Science For Environment Policy, Dg Environment News Alert Service (2009). *Which birds are most at risk from wind farm collisions*. [📄](#) (p1, en)
- ● Masden EA et al. (2009). *Cumulative impact assessments and bird / windfarm interactions: developing a conceptual framework*. [📄](#) (p7, en)
- ● Sovacool BK (2009). *Contextualizing avian mortality: a preliminary appraisal of bird and bat fatalities from wind, fossil-fuel and nuclear electricity*. [📄](#) (p9, en)
- ● Desholm M (2009). *Avian sensitivity to mortality: prioritising migratory bird species for assessment at proposed wind farms*. [📄](#) (p8, en)
- ● Jones et al. (2009). *Altamont Pass Wind Resource Area 48-Hour Search Interval Bird Fatality Study*. [📄](#) (p22, en)
- ● Biotope (2009). *Étude de la migration postnuptiale par radar - Année 2008*. [📄](#) (p86, fr)



- ● Doswald N, Willis SG, Collingham YC, Pain DJ, Green RE, Huntley, B (2009). *Potential impacts of climatic change on the breeding and non-breeding ranges and migration distance of European Sylvia warblers.* [\[p15, en\]](#)
- Govaere A, Devos S, Elleboode C, André Y, Delcourt V, Lagrange H (2008). *Etudes des mouvements d'oiseaux par radar en France - Analyse des données existantes.* [\[p56, fr\]](#)
- ● Hotker H - Compiler (2008). *Birds of prey and Wind farms: analysis of problems and possible solutions.* [\[p77, en\]](#)
- Kelly TA, Fielder JK (2008). *A framework for mitigation of bird and bat strike risk at wind farms using avian radar and SCADA interface.* [\[p7, en\]](#)
- Telleria JL (2008). *Potential impacts of wind farms on migratory birds crossing Spain.* [\[p6, en\]](#)
- Devereux CL, Denny MJH, Whittingham MJ (2008). *Minimal effects of wind turbines on the distribution of wintering farmland birds.* [\[p6, en\]](#)
- Blache S, Loose D - CORA Drôme, LPO Isère (2008). *Sensibilité des busards aux parcs éoliens - Rapport technique années 2006-2007.* [\[p50, fr\]](#)
- de Lucas M et al. (2008). *Collision fatality of raptors in wind farms does not depend on raptor abundance.* [\[p9, en\]](#)
- Drewitt AL, Langston RH (2008). *Collision Effects of Wind-power Generators and Other Obstacles on Birds.* [\[p34, en\]](#)
- Smallwood KS, Thelander C (2008). *Bird Mortality in the Altamont Pass Wind Resource Area, California.* [\[p10, en\]](#)
- Smallwood KS (2007). *Estimating Wind Turbine-Caused Bird Mortality.* [\[p12, en\]](#)
- Mabey S, Paul E (2007). *Impact of wind energy and related human activities on grassland and shrub-steppe birds (literature review).* [\[p183, en\]](#)
- ● Department for Business Enterprise & Regulatory Reform (2007). *Aerial Surveys of waterbirds in strategic wind farm areas: 2005/2006 Final report.* [\[p180, en\]](#)
- ● Everaert J, Kuijken E (2007). *Wind turbines and birds in Flanders (Belgium): preliminary summary of the mortality research results.* [\[p10, en\]](#)
- ● Larsen JK, Guillemette M (2007). *Effects of wind turbines on flight behaviour of wintering common eiders: implications for habitat use and collision risk.* [\[p9, en\]](#)
- Kuntz TH et al. (2007). *Assessing impacts of wind-energy development on nocturnally active birds and bats: A guidance document.* [\[p38, en\]](#)
- Follestad A, Flagstad Ø, Nygård T, Reitan O, Schulze J (2007). *Vindkraft og fugl på Smøla 2003–2006.* [\[p82, no\]](#)
- Camiña Á (2007). *Energía eólica y buitre negro.* [\[p10, es\]](#)
- Barclay RMR, Baerwald EF, Gruver JC (2007). *Variation in bat and bird fatalities at wind energy facilities: assessing the effects of rotor size and tower height.* [\[p8, en\]](#)
- Jain A et al. (2007). *Annual report for Maple Ridge Wind Power Project - Postconstruction bird and bat fatality study - 2006.* [\[p61, en\]](#)
- Arnett EB (2006). *A preliminary evaluation on the use of dogs to recover bat fatalities at wind energy facilities.* [\[p5, en\]](#)
- Hötker H, Thomsen KM, Jeromin H (2006). *Impacts on biodiversity of exploitation of renewable energy sources: the example of birds and bats.* [\[p65, en\]](#)
- Wiggelinkhuizen EJ, Rademakers LWMM, Barhorst SAM, Den Boon HJ (2006). *Bird collision monitoring system for multi-megawatt wind turbines WT-Bird - Summary of prototype development and testing.* [\[p17, en\]](#)
- ● Everaert J, Stienen EWM (2006). *Impact of wind turbines on birds in Zeebrugge (Belgium): Significant effect on breeding tern colony due to collisions.* [\[p14, en\]](#)
- Camiña Á (2006). *Las energías renovables y la conservación de aves carroneras: el caso del buitre leonado (gyps fulvus) en el norte la península ibérica.* [\[p10, es\]](#)
- Hotker H (2006). *The impact of repowering of wind farms on birds and bats.* [\[p38, en\]](#)
- Whitfield DP, Madders M (2006). *A review of the impacts of wind farms on hen harriers *Circus cyaneus* and an estimation of collision avoidance rates.* [\[p32, en\]](#)
- ● Fox AD, Desholm M, Kahlert J, Christensen TK, Krag PIB (2006). *Information needs to support environmental impact assessment of the effects of European marine offshore wind farms on birds.* [\[p16, en\]](#)
- Biosis Research Pty (2006). *Wind farm collision risk for birds cumulative risks for threatened and migratory species.* [\[p237, en\]](#)
- ● Petersen IK, TK Christensen, Kahlert J, Desholm M, Fox AD (2006). *Final results of bird studies at the offshore wind farms at Nysted and Horns Rev, Denmark.* [\[p166, en\]](#)
- ● Department Of Trade et Industry (2006). *Aerial Surveys of waterbirds in strategic wind farm areas: 2004/2005 Final report.* [\[p176, en\]](#)
- Talisman Energy (2006). *Effects of the demonstrator project on birds.* [\[p24, en\]](#)
- ● Wiggelinkhuizen E et al. (2006). *WT Bird -Bird collision recording for offshore wind farms.* [\[p5, en\]](#)

- Madders M, Whitfield DP (2006). *Upland raptors and the assessment of wind farm impacts*. [📄](#) (p14, en)
- ● Chamberlain DE et al. (2006). *The effect of avoidance rates on bird mortality predictions made by wind turbine collision risk models*. [📄](#) (p5, en)
- ● Drewitt AL et al. (2006). *Assessing the impacts of wind farms on birds*. [📄](#) (p14, en)
- Fielding AH et al. (2006). *Spatial association as an indicator of the potential for future interactions between wind energy developments and golden eagles *Aquila chrysaetos* in Scotland*. [📄](#) (p11, en)
- Haas D, Nipkow M, Fiedler G, Schneider R, Haas W, Schurenberg B - Nabu (2006). *Lignes à haute tension: comment protéger les oiseaux?*. [📄](#) (p74, fr)
- Smales I (2006). *Impacts of avian collisions with wind power turbines: an overview of the modelling of cumulative risks posed by multiple wind farms*. [📄](#) (p21, en)
- Smales et al. (2005). *Modelled cumulative impacts on the orange-bellied parrot of wind farms across the species' range in South Eastern Australia*. [📄](#) (p42, en)
- Smales I (2005). *Modelled cumulative impacts on the White-bellied Sea-eagle of wind farms across the species' australian range*. [📄](#) (p40, en)
- Smales I, Venosta M (2005). *Risk level to select species listed under the EPBC Act, of collision at wind farms in Gippsland, Victoria*. [📄](#) (p20, en)
- Smales I (2005). *Modelled cumulative impacts on the swift parrot of wind farms across the species' range in South Eastern Australia*. [📄](#) (p41, en)
- Smales I, Muir S (2005). *Modelled cumulative impacts on the Tasmanian Wedge-tailed Eagle of wind farms across the species' range*. [📄](#) (p50, en)
- ● Desholm M, Kahlert J (2005). *Avian collision risk at an offshore wind farm*. [📄](#) (p3, en)
- ● Petterson J (2005). *The impact of Offshore Wind farms on birds life in southern Kalmar Sound, Sweden - a final report based on studies 1999-2003*. [📄](#) (p128, en)
- ● Horch P, Keller V (2005). *Windkraftanlagen und vögel - ein Konflikt? Eine Literaturrecherche*. [📄](#) (p63, de)
- ● Amec Wind Limited (2005). *Offshore wind turbines and birds activity at Blyth*. [📄](#) (p26, en)
- Erickson WP, Johnson GD, Young DP Jr. (2005). *A Summary and Comparison of Bird Mortality from Anthropogenic Causes with an Emphasis on Collisions*. [📄](#) (p14, en)
- Thonnerieux Y - Natur'ailes (2005). *Eoliennes et Oiseaux: quelles conséquences?*. [📄](#) (p6, fr)
- Walker D et al. (2005). *Resident Golden eagle ranging behaviour before and after construction of a windfarm in Argyll*. [📄](#) (p9, en)
- ● Desholm M (2005). *TADS investigations of avian collision risk at Nysted offshore wind farm, autumn 2004*. [📄](#) (p31, en)
- Traxler A et al. (2004). *Vogelschlag, Meideverhalten & Habitatnutzung an bestehenden Windkraftanlagen Prellenkirchen - Obersdorf - Steinberg/Prinzendorf*. [📄](#) (p106, de)
- ● Wiggelinkhuizen E et al. (2004). *WT Bird -Bird collision recording for offshore wind farms*. [📄](#) (p5, en)
- ● Langston RHW, Pullan JD - RSPB (2004). *Effects of wind farms on birds*. [📄](#) (p91, en)
- Bruderer B, Liechti F (2004). *Welcher Anteil ziehender vögel fliegt im Höhenbereich von Windturbinen*. (p9, de)
- ● Garthe S, Hüppop O (2004). *Scaling possible adverse effects of marine wind farms on seabirds: developing and applying a vulnerability index*. [📄](#) (p4, en)
- de Lucas M, Janss GFE, Ferrer M (2004). *The effects of a wind farm on birds in a migration point: the Strait of Gibraltar*. [📄](#) (p13, en)
- Barrios L et al. (2004). *Behavioural and environmental correlates of soaring-bird mortality at on-shore wind turbines*. [📄](#) (p10, en)
- ● Hodos W (2003). *Minimization of Motion Smear: Reducing Avian Collisions with Wind Turbines*. [📄](#) (p43, en)
- ● Exo K-M et al. (2003). *Birds and offshore wind farms: a hot topic in marine ecology*. [📄](#) (p4, en)
- Young Jr DP, Erickson WP, Strickland MD, Good RE, Sernka KJ (2003). *Comparison of Avian Responses to UV-Light-Reflective Paint on Wind Turbines*. [📄](#) (p67, en)
- Erickson W, Johnson G, Young D, Strickland D, Good R, Bourassa M, Bay K, Sernka K (2002). *Synthesis and Comparison of baseline avian and Bat use, raptor nesting and Mortality Information from proposed and existing wind developments*. [📄](#) (p129, en)
- Pelikan M (2002). *Radar ornithology adds to wind farm data gathering*. [📄](#) (p3, en)
- ● Pekour MS (2002). *Migrating birds: assessment of Impact on 915-MHz radar Wind Profiler Performance at the atmospheric radiation measurement program's Southern Great Plains*. [📄](#) (p6, en)
- Dooling R (2002). *Avian hearing and the Avoidance of Wind Turbines*. [📄](#) (p84, en)
- Erickson WP, Johnson GD, Strickland DM, Young DP Jr., Sernka KJ, Good RE (2001). *Avian Collisions with Wind Turbines: A Summary of Existing Studies and Comparisons to Other Sources of Avian Collision Mortality in the United States*. [📄](#) (p67, en)
- Percival SM (2001). *Assessment of the effects of offshore wind farms on birds*. [📄](#) (p96, en)

- ● Krüger T, Garthe S (2001). *Flight altitudes of coastal birds in relation to wind direction and speed*. [📄](#) (p14, en)
- Avian Subcommittee of the National Wind Coordinating Committee (2001). *Proceedings of the National Avian - Wind Power Planning Meeting IV, Carmel, CA, May 16-17, 2000*. [📄](#) (p183, en)
- Avian Subcommittee of the National Wind Coordinating Committee (2000). *Proceedings of national avian – wind power planning meeting III. San Diego, California, May 1998*. [📄](#) (p206, en)
- Erickson WP, Strickland MD, Johnson GD, Kern JW (2000). *Examples of Statistical Methods to Assess Risk of Impacts to Birds from Wind Plants*. [📄](#) (p12, en)
- Lode Thierry (2000). *Effect of a motorway on mortality and isolation of Wildlife populations*. [📄](#) (p4, en)
- ● Black JE (2000). *Application of weather radar to monitoring numbers of Birds in Migration*. [📄](#) (p3, en)
- Osborn Robert G, Dieter Charles D, Higgins Kenneth F (1997). *Bird Flight Characteristics Near Wind Turbines in Minnesota*. [📄](#) (p10, en)
- Bruderer B (1996). *Vogelzugforschung im Bereich der Alpen 1980-1995*. [📄](#) (p12, de)
- Montes RM (1995). *Incidencia de las plantas de aerogeneradores sobre la avifauna en la comarca del Campo de Gibraltar*. [📄](#) (p13, es)
- Winkelmann JE (1995). *Birds and the wind park near Urk: collision victims and disturbance of ducks, geese and swans*. [📄](#) (p156, en)
- Orloff SG, Flannery AF (1992). *Wind turbine effects on avian activity, habitat use, and mortality in altamont pass and solano county Wind resource areas*. [📄](#) (p199, en)
- Avery M et al. (1977). *Weather influences on nocturnal bird mortality at a north dakota tower*. [📄](#) (p9, en)
- Avery M et al. (1976). *The effects of a tall tower on nocturnal bird migration - a portable ceilometer study*. [📄](#) (p11, en)