



Programme national

Eolien et Biodiversité

LPO – ADEME - MTES

Bibliographie

Programme Eolien et Biodiversité

Chiroptères

Geoffroy Marx – geoffroy.marx@lpo.fr

25/11/2020

Légende

● Eolien terrestre

● Eolien en mer

A D E M E



Agence de l'Environnement
et de la Maîtrise de l'Energie

Chiroptères

- Ahlen , Bach L, Baagoe HJ, Pettersson J (2007). *Bats and offshore wind turbines studied in southern Scandinavia.* [\(p37, en\)](#)
- Allison T, Butryn R (2018). *A Summary of Bat Fatality Data in a Nationwide Database.* [\(p42, en\)](#)
- Allison TD, Butryn R (2019). *A Summary of Bird Fatality Data in a Nationwide Database.* [\(p46, en\)](#)
- Amaral IS D, PEREIRA M JR, Mader A, Ferraz MR, PEREIRA JB, Oliveira LR D (2020). *Wind farm bat fatalities in southern Brazil: temporal patterns and influence of environmental factors.* [\(p37, en\)](#)
- Apoznański G, Sánchez-Navarro S, Kokurewicz T, Pettersson S, Rydell J (2018). *Barbastelle bats in a wind farm: are they at risk?.* [\(p10, en\)](#)
- Arnett EB et al. (2013). *Evaluating the Effectiveness of an Ultrasonic Acoustic Deterrent for Reducing Bat Fatalities at Wind Turbines.* [\(p11, en \)](#)
- Arnett EB et al. (2010). *Effectiveness of changing Wind Turbine cut-in speed to reduce bat Fatalities at Wind Facilities: Final Report.* [\(p58, en \)](#)
- Arnett EB et al. (2009). *Effectiveness of Changing Wind turbine Cut in speed to reduce bat fatalities at wind facilities - 2008 annual report.* [\(p45, en \)](#)
- Arnett EB et al. (2008). *Patterns of Bat fatalities at Wind Energy Facilities in North America.* [\(p18, en \)](#)
- Arnett EB, Baerwald EF, Mathews F, Rodrigues L, Rodríguez-Durán A, Rydell J, Villegas-Patraca R, Voigt CC (2016). *Impacts of Wind Energy Development on Bats: A Global Perspective.* [\(p28, en \)](#)
- Arnett EB, May RF (2016). *Mitigating wind energy impacts on wildlife: approaches for multiple taxa.* [\(p14, en \)](#)
- Aronson JB, Thomas AJ, Jordaan SL (2013). *Bat fatality at a wind energy facility in the Western Cape, South Africa.* [\(p4, en \)](#)
- Aschwanden J, Wanner S, Liechti F (2015). *Investigation on the effectivity of bat and bird detection at a wind turbine: Final Report Bird Detection.* [\(p35, en \)](#)
- Baerwald EF et al. (2008). *Supplemental data: barotrauma is a significant cause of bat fatalities at wind turbines.* [\(p8, en \)](#)
- Baerwald EF et al. (2008). *Barotrauma is a significant cause of bat fatalities at wind turbines.* [\(p2, en \)](#)
- Baerwald EF et al. (2008). *A large-scale Mitigation Experiment to Reduce Bat Fatalities at Wind Energy Facilities.* [\(p5, en \)](#)
- Barclay RMR, Baerwald EF, Gruver JC (2007). *Variation in bat and bird fatalities at wind energy facilities: assessing the effects of rotor size and tower height .* [\(p8, en \)](#)
- Barré K (2017). *Mesurer et compenser l'impact de l'éolien sur la biodiversité en milieu agricole - Measure and offset wind energy impacts on biodiversity in farming areas.* [\(p363, fr\)](#)
- Barré K et al. (2019). *Addendum to "Estimating habitat loss due to wind turbine avoidance by bats: Implications for European siting guidance" [Biol. Conserv.] 226, 205–214: Wind turbine impact on bat activity is not driven by siting altitude.* [\(p3, en \)](#)
- Barré K, Julliard R, Le Viol I, Bas Y, Kerbiriou C - MNHN (2017). *Impact of wind turbines on bat activity: an ommited long-distance concern.* [\(p1, en \)](#)
- Barré K, Le Viol I, Bas Y, Julliard R, Kerbiriou C (2018). *Estimating habitat loss due to wind turbine avoidance by bats: Implications for European siting guidance.* [\(p10, en \)](#)
- Bas Y, Haquart A, Tranchard J, Lagrange H (2014). *Suivi annuel continu de l'activité des chiroptères sur 10 mts de mesure : évaluation des facteurs de risque lié à l'éolien.* [\(p6, fr\)](#)
- Bastos R et al. (2013). *A new stochastic dynamic tool to improve the accuracy of mortality estimates for bats killed at wind farms.* [\(p13, en \)](#)
- Behr O et al. (2017). *Mitigating Bat Mortality with Turbine-Specific Curtailment Algorithms: A Model Based Approach.* [\(p31, en \)](#)
- Behr O, Brinkmann R, Korner-Nievergelt F, Nagy M, Niermann I, Reich M, Simon R (2016). *Reducing the Collision Risk for Bats at Onshore Wind Turbines (RENEBAT II).* [\(p374, de\)](#)
- Bennett E (2012). *Observations from the Use of Dogs to Undertake Carcass Searches at Wind Facilities in Australia.* [\(p10, en \)](#)

- Bennett VJ, Hale AM (2018). *Resource Availability May Not Be a Useful Predictor of Migratory Bat Fatalities or Activity at Wind Turbines.* [\[PDF\]](#) (p19, en)
- Bennett VJ, Hale AM (2013). *Red aviation lights on wind turbines do not increase bat-turbine collisions.* [\[PDF\]](#) (p5, en)
- Bennett VJ, Hale AM, Williams DA (2017). *Fecal surveys reveal species-specific bat activity at wind turbines.* [\[PDF\]](#) (p16, en)
- Beucher Y et al. (2012). *Réduction significative de la mortalité des chauves-souris liée aux éoliennes.* [\[PDF\]](#) (p1, fr)
- Beucher Y, Richou C, Albespy F (2018). *Mortalité des chiroptères - Analyse comparée de la mise en place de mesures de régulation de 3 parcs éoliens.* [\[PDF\]](#) (p7, fr)
- Bird Studies Canada, Canadian Wind Energy Association, Environment Canada and Ontario Ministry of Natural Resources (2018). *Base de données du Suivi des populations d'oiseaux et de chauves-souris relié à l'énergie éolienne -2018.* [\[PDF\]](#) (p76, fr)
- Bird Studies Canada, Canadian Wind Energy Association, Environment Canada and Ontario Ministry of Natural Resources (2017). *Base de données du Suivi des populations d'oiseaux et de chauves-souris relié à l'énergie éolienne - Juillet 2017.* [\[PDF\]](#) (p51, fr)
- Bird Studies Canada, Canadian Wind Energy Association, Environment Canada and Ontario Ministry of Natural Resources (2016). *Base de données du Suivi des populations d'oiseaux et de chauves-souris relié à l'énergie éolienne - Juillet 2016.* [\[PDF\]](#) (p48, fr)
- Bolívar-Cimé B, Bolívar-Cimé A, Cabrera-Cruz SA, Muñoz-Jiménez O, Villegas-Patraca R (2016). *Bats in a tropical wind farm: species composition and importance of the spatial attributes of vegetation cover on bat fatalities.* [\[PDF\]](#) (p12, en)
- Brabant R, Laurent Y, Poerink BJ, Degraer S (2020). *Activity and Behaviour of *Nathusius'* Pipistrelle *Pipistrellus nathusii* at Low and High Altitude in a North Sea Offshore Wind Farm.* [\[PDF\]](#) (p9, en)
- Brabant R, Laurent Y, Vigin L, Lafontaine R-M, Degraer S (2017). *Bats in the Belgian part of the North Sea and possible impacts of offshore wind farms.* [\[PDF\]](#) (p12, en)
- Brinkmann R, Behr O, Niermann I, Reich M (2012). *Développement de méthodes pour étudier et réduire le risque de collision de chauves-souris avec les éoliennes terrestres.* [\[PDF\]](#) (p42, fr)
- Brinkmann R, Schauer-Weissbach H, Bontadina F (2006). *Etudes sur les effets potentiels liés au fonctionnement des éoliennes sur les chauves-souris du district de Fribourg.* [\[PDF\]](#) (p77, fr)
- Bruderer B, Popa-Lisseanu AG (2005). *Radar data on wing-beat frequencies and flight speeds of two bat species.* [\[PDF\]](#) (p10, en)
- ● BWEC (2015). *Bats and Wind Energy Cooperative - 2015 Workshop Proceedings.* [\[PDF\]](#) (p53, en)
- ● BWEC (2012). *Bats and Wind Energy Cooperative - 2012 Workshop Proceedings.* [\[PDF\]](#) (p47, en)
- ● BWEC (2008). *Bats and Wind Energy Cooperative - 2008 Workshop Proceedings.* [\[PDF\]](#) (p28, en)
- California Bat Working Group (2006). *Guidelines for assessing and minimizing impacts to bats at wind energy development sites in California.* [\[PDF\]](#) (p20, en)
- Camiña Á (2013). *Guidelines for wind farm planning on birds and bats: Lessons learned from operating wind farms.* [\[PDF\]](#) (p40, en)
- Charbonnier Y (2015). *Relations entre diversité des habitats forestiers et communautés de chiroptères à différentes échelles spatiales en Europe : implications pour leur conservation et le maintien de leur fonction de préation.* [\[PDF\]](#) (p215, fr)
- Chipps A, Hale A, Weaver S, Williams D (2020). *Genetic Approaches Are Necessary to Accurately Understand Bat-Wind Turbine Impacts.* [\[PDF\]](#) (p11, en)
- Choi DY et al. (2020). *An evaluation of bird and bat mortality at wind turbines in the Northeastern United States.* [\[PDF\]](#) (p22, en)
- Collins J, Jones G (2009). *Differences in bat activity in relation to bat detector height: implications for bat surveys at proposed windfarm sites.* [\[PDF\]](#) (p8, en)
- Coly R (2015). *Evaluation des possibilités d'exploitation des données Chiroptères collectées dans le cadre d'implantation d'éoliennes (études d'impact et suivis post-implantatoires).* [\[PDF\]](#) (p62, fr)
- Coly R, Barré K, Gourdain P, Kerbiriou C, Marmet J, Touroult J (2017). *Études chiroptérologiques dans les dossiers réglementaires éoliens : disponibilité de l'information et conformité avec les recommandations nationales et européennes.* [\[PDF\]](#) (p12, fr)
- Cooper D, Green T, Miller M, Rickards E (2020). *Bat Impact Minimization Technology: An Improved Bat Deterrent for the Full Rotor Swept Area of Any Wind Turbine.* [\[PDF\]](#) (p61, en)
- Cornelis N, Strehler-Perrin C, Balsiger L et al. (2016). *Evaluation des impacts résiduels cumulés des éoliennes du Jura vaudois et des régions limitrophes sur la faune ailée.* [\[PDF\]](#) (p70, fr)
- Cryan P (2008). *Overview of Issues Related to Bats and Wind Energy.* [\[PDF\]](#) (p74, en)
- Cryan PM, Gorresen PM, Hein CD, Schirmacher MR, Diehl RH, Huso MM, Hayman DTS, Fricker PD,

- Bonaccorso FJ, Johnson DH, Heist K, Dalton DC (2014). *Behavior of bats at wind turbines*. [\(p6, en\)](#)
- Dirksen S (2017). *Review of methods and techniques for field validation of collision rates and avoidance amongst birds and bats at offshore wind turbines*. [\(p48, en\)](#)
- Dürr T (2020). *Fledermausverluste an Windenergieanlagen / bat fatalities at windturbines in Europe*. [\(p1, de\)](#)
- Dürr T, Bach L (2004). *Fledermäuse als Schlagopfer von Windenergieanlagen - Stand der Erfahrungen mit Einblick in die bundesweite Fundkartei*. [\(p12, de\)](#)
- Electric Power Research Institute (EPRI) (2020). *Population-Level Risk to Hoary Bats Amid Continued Wind Energy Development: Assessing Fatality Reduction Targets Under Broad Uncertainty*. [\(p78, en\)](#)
- Erickson W, Johnson G, Young D, Strickland D, Good R, Bourassa M, Bay K, Sernka K (2002). *Synthesis and Comparison of baseline avian and Bat use, raptor nesting and Mortality Information from proposed and existing wind developments*. [\(p129, en\)](#)
- Escobar LE, Juarez C, Medina-Vogel G, Gonzalez CM (2015). *First Report on Bat Mortalities on Wind Farms in Chile*. [\(p7, en\)](#)
- Ferri V, Battisti C, Soccini C (2016). *Bats in a Mediterranean Mountainous Landscape: Does Wind Farm Repowering Induce Changes at Assemblage and Species Level?*. [\(p7, en\)](#)
- Foo CF, Bennett VJ, Hale AM, Korstian JM, Schildt AJ, Williams DA (2017). *Increasing evidence that bats actively forage at wind turbines*. [\(p23, en\)](#)
- Frick WF et al. (2017). *Fatalities at wind turbines may threaten population viability of a migratory bat*. [\(p6, en\)](#)
- Froidevaux J et al. (2019). *Managing hedgerows for nocturnal wildlife: Do bats and their insect prey benefit from targeted agri-environment schemes?*. [\(p33, en\)](#)
- Gaultier SP et al. (2020). *Bats and Wind Farms: The Role and Importance of the Baltic Sea Countries in the European Context of Power Transition and Biodiversity Conservation*. [\(p14, en\)](#)
- Good R, Iskali G, Clark R, Rabie P, DuBridge K, Murray K (2020). *Are Bat Activity and Mortality Best Predicted by Weather Measured On-Site or at Off-Site Regional Airports?*. [\(p121, en\)](#)
- Groupe Mammalogique Breton (2011). *Synthèse chiroptérologique des données historiques - zone d'étude continentale autour du projet d'un parc éolien offshore dans la Baie de St-Brieuc (22)*. [\(p11, fr\)](#)
- Hanagasioglu M, Aschwanden J, Bontadina F, Marcos de la Puente N (2015). *Investigation of the effectiveness of bat and bird detection of the DTBat and DTBird systems at Calandawind turbine - Final Report*. [\(p142, en\)](#)
- Haquart A (2013). *Actichiro, référentiel d'activité des chiroptères. Eléments pour l'interprétation des dénombremens de chiroptères avec les méthodes acoustiques en zone méditerranéenne française*. [\(p100, fr\)](#)
- Haquart A, Lagrange H (2014). *Suivis annuel continu de l'activité des chiroptères sur 10 mts de mesure : évaluation des facteur de risque lié à l'éolien*. [\(p6, fr\)](#)
- Hatch S, Connelly E, Divoll T, Stenhouse I, Williams K (2013). *Offshore Observations of Eastern Red Bats (Lasiurus borealis) in the Mid-Atlantic United States Using Multiple Survey Methods*. [\(p8, en\)](#)
- Hayes MA et al. (2019). *A smart curtailment approach for reducing bat fatalities and curtailment time at wind energy facilities*. [\(p18, en\)](#)
- Hein CD, Prichard A, Mabee T, Schirmacher MR (2014). *Efficacy of an Operational Minimization Experiment to Reduce Bat Fatalities at the Pinnacle Wind Farm, Mineral County, West Virginia, 2013 - Final Report*. [\(p50, en\)](#)
- Hein CD, Prichard A, Mabee To, Schirmacher MR (2013). *Effectiveness of an Operational Mitigation Experiment to Reduce Bat Fatalities at the Pinnacle Wind Farm, Mineral County, West Virginia, 2012 - Final Report*. [\(p40, en\)](#)
- Hein CD, Schirmacher MR (2016). *Impact of wind energy on bats: a summary of our current knowledge*. [\(p9, en\)](#)
- Heitz C, Jung L (2017). *Impact de l'activité éolienne sur les populations de chiroptères : enjeux et solutions (Etude bibliographique)*. [\(p149, fr\)](#)
- Hirakawa H (2005). *Luring bats to the camera: a new technique for a bat surveys*. [\(p3, en\)](#)
- Hotker H (2006). *The impact of repowering of wind farms on birds and bats*. [\(p38, en\)](#)
- Hötker H, Thomsen KM, Jeromin H (2006). *Impacts on biodiversity of exploitation of renewable energy sources: the example of birds and bats*. [\(p65, en\)](#)
- Huso MMP (2010). *An estimator of wildlife fatality from observed carcasses*. [\(p12, en\)](#)
- Jain A et al. (2007). *Annual report for Maple Ridge Wind Power Project - Postconstruction bird and bat fatality study - 2006*. [\(p61, en\)](#)

- ● Jansson S, Malmqvist E, Brydegaard M, Akesson S, Rydell J (2020). *A Scheimpflug lidar used to observe insect swarming at a wind turbine.* [\[PDF\]](#) (p7, en)
- Johnson G (2004). *Bat ecology related to wind development and lessons learned about impacts on bats from wind development.* [\[PDF\]](#) (p11, en)
- Jones G (2009). *Determining the potential ecological impact of wind turbines on bat populations in Britain.* [\[PDF\]](#) (p158, en)
- Kelly TA, Fielder JK (2008). *A framework for mitigation of bird and bat strike risk at wind farms using avian radar and SCADA interface.* [\[PDF\]](#) (p7, en)
- Kelm DH, Lenski J, Kelm V, Toelch U, Dziock F (2014). *Seasonal bat activity in relation to distance to hedgerows in an agricultural landscape in central Europe and implications for wind energy development.* [\[PDF\]](#) (p9, en)
- Korner-Nievergelt F, Brinkmann R, Niermann I, Behr O (2013). *Estimating Bat and Bird Mortality Occurring at Wind Energy Turbines from Covariates and Carcass Searches Using Mixture Models.* [\[PDF\]](#) (p11, en)
- Korner-Nievergelt F, Brossard C, Filliger R, Gremaud J, Lugon A, Mermoud O, Schaub M, Wechsler S (2016). *Effets cumulés des éoliennes du Jura vaudois et des régions limitrophes sur l'avifaune et les chiroptères : risque de collisions et de perte d'habitat pour quelques espèces d'oiseaux et de chiroptères.* [\[PDF\]](#) (p181, fr)
- Kunz TH et al. (2011). *Ecosystem services provided by bats.* [\[PDF\]](#) (p38, en)
- Kunz TH et al. (2007). *Assessing impacts of wind-energy development on nocturnally active birds and bats: A guidance document.* [\[PDF\]](#) (p38, en)
- Kunz TH et al. (2007). *Ecological impact of wind energy development on bats: questions, research needs, and hypotheses.* [\[PDF\]](#) (p14, en)
- Lacoeuilhe A, Machon N, Julien JF, Kerbiriou C (2016). *Effects of hedgerows on bats and bush crickets at different spatial scales.* [\[PDF\]](#) (p12, en)
- Lagerveld S et al. (2020). *Assessing fatality risk of bats at offshore wind turbines.* [\[PDF\]](#) (p39, en)
- Lagerveld S, Jonge PB, Haselager R, Verdaat H (2015). *Bats in Dutch offshore wind farms in autumn 2012.* [\[PDF\]](#) (p9, en)
- Lagerveld S, Poerink B, de Vries P (2015). *Monitoring Bat Activity at the Dutch EEZ in 2014.* [\[PDF\]](#) (p33, en)
- Lagrange H (2015). *Etude de l'impact des parcs éoliens sur l'activité et la mortalité des chiroptères par trajectographie acoustique, imagerie thermique et recherche de cadavres au sol - Contributions aux évaluations des incidences sur l'environnement.* [\[PDF\]](#) (p172, fr)
- Lagrange H et al. (2014). *Chirotech, un processus de régulation multifactoriel pour réduire la mortalité des chauves-souris due aux parcs éoliens.* [\[PDF\]](#) (p6, fr)
- Lampman G - New Jersey Audubon, Old Bird Inc and North East Ecological Services (2013). *Post-construction wildlife monitoring at Maple Ridge wind farm - Final report.* [\[PDF\]](#) (p34, en)
- Leuzinger Y, Lugon A, Bontadina F (2008). *Eoliennes en Suisse : Mortalité de chauves-souris.* [\[PDF\]](#) (p34, fr)
- Limpens H. et al. (2013). *Windturbines and bats in the Netherlands - Measuring and predicting.* [\[PDF\]](#) (p121, en)
- Lintott P, Richardson S, Hosken D, Fensome S, Mathews F (2016). *Ecological Impact Assessments Fail to Reduce Risk of Bat Casualties at Wind Farms.* [\[PDF\]](#) (p2, en)
- Longcore T et al. (2007). *Height, guy wires, and steady-burning lights increase hazard of communication towers to nocturnal migrants: a review and meta-analysis.* [\[PDF\]](#) (p8, en)
- Lumsden LF, Moloney PD, Smales I (2019). *Developing a science-based approach to defining key species of birds and bats of concern for wind farm developments in Victoria.* [\[PDF\]](#) (p49, en)
- MacGregor KA, Lemaître J (2020). *The management utility of large-scale environmental drivers of bat mortality at wind energy facilities: The effects of facility size, elevation and geographic location.* [\[PDF\]](#) (p11, en)
- Măntoiu DS et al. (2020). *Wildlife and infrastructure: impact of wind turbines on bats in the Black Sea coast region.* [\[PDF\]](#) (p13, en)
- Marchais G, Vuitton G (2018). *Quelles alternatives au suivi acoustique des chiroptères sur mât de mesure de grande hauteur ? Application dans le cadre de l'étude d'impact d'un projet de parc éolien en milieu forestier en Bourgogne.* [\[PDF\]](#) (p7, fr)
- Marques J, Rodrigues L, João Silva M, Santos J, Bispo R, Bernardino J (2018). *Estimating Bird and Bat Fatality at Wind Farms: From Formula-Based Methods to Models to Assess Impact Significance.* [\[PDF\]](#) (p54, en)
- Martin C (2015). *Effectiveness of operational mitigation in reducing bat mortality and an assessment of bat and bird fatalities at the Sheffield Wind Facility, Vermont.* [\[PDF\]](#) (p196, en)
- Martin CM, Arnett EB, Stevens RD, Wallace MC (2017). *Reducing bat fatalities at wind facilities while improving the economic efficiency of operational mitigation.* [\[PDF\]](#) (p8, en)
- Mathews F, Richardson S, Lintott P, Hosken D (2016). *Understanding the Risk of European Protected Species*

- (Bats) at Onshore Wind Turbine Sites to Inform Risk Management. [\[link\]](#) (p127, en)
- Mathews F, Swindells M, Goodhead R, August TA, Hardman P, Linton DM, Hosken, DJ (2013). Effectiveness of search dogs compared with human observers in locating bat carcasses at wind-turbine sites: A blinded randomized trial.. [\[link\]](#) (p7, en)
- Millon L, Colin C, Brescia F, Kerbiriou C (2018). Wind turbines impact bat activity, leading to high losses of habitat use in a biodiversity hotspot. [\[link\]](#) (p4, en)
- Millon L, Julien J-F, Julliard R, Kerbiriou C (2015). Bat activity in intensively farmed landscapes with wind turbines and offset measures. [\[link\]](#) (p8, en)
- Minderman J et al. (2014). Estimates and correlates of bird and bat mortality at small wind turbine sites. [\[link\]](#) (p16, en)
- Minderman J et al. (2012). Experimental evidence for the effect of small wind turbine proximity and operation on bird and bat activity. [\[link\]](#) (p7, en)
- Minderman J, Gillis MH, Park KJ (2017). Landscape-scale effects of single- and multiple small wind turbines on bat activity. [\[link\]](#) (p8, en)
- Müller C (2017). Numerical modelling of the flight behaviour of bats to estimate the collision risk with wind turbines. [\[link\]](#) (p141, en)
- Murtaugh RA, Capparella AP, Kostelnick JC, Johnson GD (2019). Red bat fatality: Geographic extents through deuterium and niche models. [\[link\]](#) (p7, en)
- Newson SE et al. (2017). Large-scale citizen science improves assessment of risk posed by wind farms to bats in southern Scotland. [\[link\]](#) (p11, en)
- Nicholls B, Racey P A (2007). Bats avoid radar installations: could electromagnetic fields deter bats from colliding with turbines?. [\[link\]](#) (p7, en)
- Nyári J, Bailleul E, Gow S, Arbinolo M - EKOenergy (2015). The effects of wind turbines on bat mortality and available solutions - An executive review. [\[link\]](#) (p5, en)
- O'Shea TJ, Cryan PM, Hayman DTS, Plowright RK, Streicker DG (2016). Multiple mortality events in bats: a global review. [\[link\]](#) (p16, en)
- Oso M - Oregon State University (2008). Estimators of wildlife fatality: a critical examination of methods. [\[link\]](#) (p49, en)
- Paula J, Augusto M, Neves T, Bispo R, Cardoso P, Mascarenhas M (2018). Comparing Field Methods Used to Determine Bird and Bat Fatalities. [\[link\]](#) (p15, en)
- Paula João et al. (2011). Dogs as a tool to improve bird-strike mortality estimates at wind farms. [\[link\]](#) (p7, en)
- Peste F, Paula A, Pinto da Silva P, Bernardino J, Pereira P, Mascarenhas M, Costa H, Vieira J, Bastos C, Fonseca C, Pereira M (2015). How to Mitigate Impacts of Wind Farms on Bats? A Review of Potential Conservation Measures in the European Context. [\[link\]](#) (p13, en)
- Peters K, Evans I, Traiger E, Collins J, Mathews C, Klehr A (2020). Landscape Factors Associated with Fatalities of Migratory Tree-Roosting Bats at Wind Energy Facilities: An Initial Assessment. [\[link\]](#) (p64, en)
- Peterson T (2020). Predicting and Managing Risk to Bats at Commercial Wind Farms using Acoustics using Acoustics. [\[link\]](#) (p140, en)
- Przybycin P et al. (2019). B-Finder System 24 month test report for T-Series. [\[link\]](#) (p28, en)
- Pylant CL, Nelson DM, Fitzpatrick MC, Gates JE, Keller SR (2015). Geographic origins and population genetics of bats killed at wind-energy facilities. [\[link\]](#) (p48, en)
- Reers H et al. (2017). Bat Activity at Nacelle Height Over Forest. [\[link\]](#) (p20, en)
- Reimer JP, Baerwald EF, Barclay RMR (2018). Echolocation activity of migratory bats at a wind energy facility: testing the feeding-attraction hypothesis to explain fatalities. [\[link\]](#) (p6, en)
- Roche H-P, Valles F, Goutorbe E (2018). SafeWind Chiro - Evaluation de l'activité des chiroptères à proximité des éoliennes par vidéo détection. [\[link\]](#) (p7, fr)
- Rodrigues L, et al. - EUROBATS (2018). Report of the IWG on Wind Turbines and Bat Populations. [\[link\]](#) (p58, en)
- Rodrigues L, et al. - EUROBATS (2015). Report of the IWG on Wind Turbines and Bat Populations. [\[link\]](#) (p28, en)
- Rodrigues S, Rosa L, Mascarenhas M (2018). An Overview on Methods to Assess Bird and Bat Collision Risk in Wind Farms. [\[link\]](#) (p24, en)
- Roeleke M, Blohm T, Kramer-Schadt S, Yovel Y, Voigt C (2016). Habitat use of bats in relation to wind turbines revealed by GPS tracking. [\[link\]](#) (p9, en)
- Roemer C, Bas Y, Disca T, Coulon A (2019). Influence of landscape and time of year on bat-wind turbines collision risks. [\[link\]](#) (p13, en)
- Roemer C, Disca T, Coulon A, Bas Y (2017). Bat flight height monitored from wind masts predicts mortality risk at wind farms. [\[link\]](#) (p8, en)
- Romano WB, Skalski JR, Townsend RL, Kinzie KW, Coppinger KD, Miller MF (2019). Evaluation of an Acoustic Deterrent to Reduce Bat Mortalities at an Illinois Wind Farm. [\[link\]](#) (p11, en)

- Roscioni F, Russo D, Di Febbraro M, Frate L, Carranza MI, Loy A (2013). *Regional-scale modeling of the cumulative impact of wind farms on bats*. [\[link\]](#) (p15, en)
- Roscioni, F, Rebelo, H, Russo, D, Carranza, ML, Difebraro, M, Loy, A (2014). *A modelling approach to infer the effects of wind farms on landscape connectivity for bats*. [\[link\]](#) (p13, en)
- Rydell J, Bach L, Dubourg-Savage M-J, Green M, Rodrigues L et al. (2010). *Mortality of bats at wind turbines links to nocturnal insect migration?*. [\[link\]](#) (p5, en)
- Rydell J, Bogdanowicz W, Boonman A, Pettersson S, Suchecka E, Pomorski J (2016). *Bats may eat diurnal flies that rest on wind turbines*. [\[link\]](#) (p35, en)
- ● Rydell J, Engström H, Hedenström A, Larsen JK, Pettersson J, Green M (2012). *The effect of wind power on birds and bats – A synthesis*. [\[link\]](#) (p152, en)
- ● Sainadh Singh K, Lavanya K, Uma Maheswara Rao M (2016). *BATS Echolocation Algorithm Tuned PI controller for PQ Improvement in a grid connected Wind Energy System*. [\[link\]](#) (p5, en)
- Santos M et al. (2016). *A spatial explicit agent based model approach to evaluate the performance of different monitoring options for mortality estimates in the scope of onshore windfarm impact assessments*. [\[link\]](#) (p10, en)
- Silva C et al. (2016). *A modelling framework to predict bat activity patterns on wind farms: An outline of possible applications on mountain ridges of North Portugal*. [\[link\]](#) (p13, en)
- Silva R (2009). *Effet des conditions météorologiques sur l'activité de chasse des Chiroptères*. [\[link\]](#) (p36, fr)
- Skov H et al. (2015). *Kriegers Flak Offshore Wind Farm - Birds and Bats EIA - Technical Report*. [\[link\]](#) (p198, en)
- Smales I (2015). *Fauna Collisions with Wind Turbines: Effects and Impacts, Individuals and Populations. What Are We Trying to Assess?*. [\[link\]](#) (p18, en)
- Smallwood KS (2017). *Long search intervals underestimate bird and bat fatalities caused by wind turbines*. [\[link\]](#) (p7, en)
- Smallwood KS (2013). *Comparing bird and bat fatality-rate estimates among North American wind-energy projects*. [\[link\]](#) (p15, en)
- Smallwood KS (2009). *Avian and Bat Fatality Rates at Old-Generation and Repowered Wind Turbines in California*. [\[link\]](#) (p10, en)
- Solick D, Pham D, Nasman K, Bay K (2020). *Bat Activity Rates do not Predict Bat Fatality Rates at Wind Energy Facilities*. [\[link\]](#) (p12, en)
- ● Sovacool BK (2009). *Contextualizing avian mortality: a preliminary appraisal of bird and bat fatalities from wind, fossil-fuel and nuclear electricity*. [\[link\]](#) (p9, en)
- Suryan R, Albertani R, Polagye B (2016). *A Synchronized Sensor Array for Remote Monitoring of Avian and Bat Interactions with Offshore Renewable Energy Facilities*. [\[link\]](#) (p33, en)
- Sutter C et al. (2017). *Bat Detection and Shutdown System for Utility-Scale Wind Turbines*. [\[link\]](#) (p98, en)
- ● Teng J (2020). *Wind farm wake modeling for power prediction and detection of wildlife activity using X-band Doppler radar*. [\[link\]](#) (p, en)
- Tesfahunegny W et al. (2020). *Impact of wind energy development on birds and bats: the case of Adama wind farm, Central Ethiopia*. [\[link\]](#) (p9, en)
- Tetra Tech (2015). *2014 Bat Survey Report: Wilton IV Wind Energy Center Burleigh County, North Dakota*. [\[link\]](#) (p42, en)
- Therkildsen OR, Elmeros M (2015). *First year post-construction monitoring of bats and birds at wind turbine test Centre Østerild*. [\[link\]](#) (p128, en)
- Therkildsen OR, Elmeros M, Kahlert J, Desholm M (2012). *Baseline investigations of bats and birds at wind turbine test centre Østerild*. [\[link\]](#) (p128, en)
- Verboom B, Limpens H (2001). *Windmolens en Vleermuizen*. [\[link\]](#) (p4, nl)
- ● Voigt C, Rehnig K, Lindecke O, Petersons G (2018). *Migratory bats are attracted by red light but not by warm-white light: Implications for the protection of nocturnal migrants*. [\[link\]](#) (p9, en)
- Voigt CC, Lehnert L, Petersons G, Adorf F, Bach L (2015). *Wildlife and Renewable Energy: German Politics Cross Migratory Bats*. [\[link\]](#) (p7, en)
- Voigt CC, Lindecke O, Schönborn S, Kramer-Schadt S, Lehmann D (2016). *Habitat use of migratory bats killed during autumn at wind turbines*. [\[link\]](#) (p13, en)
- Voigt CC, Popa-Lisseanu AG, Niermann I, Kramer-Schadt S (2012). *The catchment area of wind farms for European bats: A plea for international regulations*. [\[link\]](#) (p7, en)
- Vonhof M, Russell AL (2015). *Genetic approaches to understanding the population-level impact of wind energy development on migratory bats: a case study of the eastern red bat (*Lasiurus borealis*)*. [\[link\]](#) (p44, en)
- Weaver SP, Hein CD, Simpson TR, Evans JW, Castro-Arellano I (2020). *Ultrasonic acoustic deterrents significantly reduce bat fatalities at wind turbines*. [\[link\]](#) (p29, en)

- Weller TJ, Baldwin JA (2011). *Using echolocation monitoring to model bat occupancy and Inform mitigations at wind energy facilities.* [\(p13, en\)](#)
- Wellig SD, Nusslé S, Miltner D, Kohle O, Glaizot O, Braunisch V, Obrist MK, Arlettaz R (2018). *Mitigating the negative impacts of tall wind turbines on bats: Vertical activity profiles and relationships to wind speed.* [\(p16, en\)](#)
- Whitby M, Carter T, Britzke E, Bergeson S (2014). *Evaluation of Mobile Acoustic Techniques for Bat Population Monitoring.* [\(p8, en\)](#)
- WWF Greece (2011). *Assessing the impact of nine established wind farms on birds of prey in Thrace Greece - Annual report 2009-2010.* [\(p43, en\)](#)
- WWF Greece (2011). *Assessing the impact of nine established wind farms on birds of prey in Thrace, Greece.* [\(p93, en\)](#)
- Zimmerling JR, Francis CM (2016). *Bat mortality due to wind turbines in Canada: Bats and Wind Turbines.* [\(p10, en\)](#)